

# Appendix 3.3-1 Ecological Resources



### <u>Plants</u>

#### Trees

| liees                  |                      |  |
|------------------------|----------------------|--|
| Acer plantanoides      | Norway Maple *       |  |
| Acer rubrum            | Red Maple            |  |
| Ailanthus altissima    | Tree-Of-Heaven       |  |
| Betula nigra           | River Birch *        |  |
| Elaeagnus angustifolia | Russian Olive        |  |
| Elaeagnus umbellata    | Autumn Olive         |  |
| Ginkgo biloba          | Ginkgo sp. *         |  |
| Gleditsia triacanthos  | Honey Locust *       |  |
| Juniperus virginiana   | Eastern Redcedar     |  |
| Morus alba             | White Mulberry       |  |
| Picea abies            | Norway Spruce sp. *  |  |
| Pinus rigida           | Pitch Pine           |  |
| Pyrus calleryana       | Callery Pear         |  |
| Thuja occidentalis     | Northern White Cedar |  |
| Tilia americana        | Basswood             |  |
| Zelkova serrata        | Japanese Zelkova *   |  |
|                        |                      |  |

### Shrubs and Woody Vines

| Annalousia bravina duna ulata | Devealein Deve *     |
|-------------------------------|----------------------|
| Ampelopsis brevipedunculata   | Porcelain Berry *    |
| Buxus sp.                     | Boxwood              |
| Celastrus orbiculatus         | Asiatic Bittersweet  |
| Euonymus sp.                  | Euonymus *           |
| Hibiscus syriacus             | Rose-of-Sharon       |
| llex glabra                   | Inkberry             |
| Kolkwitzia amabilis           | Beauty Bush          |
| Lonicera japonica             | Japanese Honeysuckle |
| Parthenocissus quinquefolia   | Virginia Creeper     |
| Rosa multiflora               | Multiflora Rose      |
| Taxus sp.                     | Yew *                |
| Toxicodendron radicans        | Poison Ivy           |
|                               |                      |

#### Herbaceous Plants and Other Non-Woody Plants

| Achillea millefolium    | Yarrow                |
|-------------------------|-----------------------|
| Alliaria petiolata      | Garlic Mustard        |
| Artemisia vulgaris      | Common Mugwort *      |
| Capsella bursa-pastoris | Shepherd's Purse      |
| Cenchrus sp.            | Sandbur sp.           |
| Cenchrus spinifex       | Coastal Sandbur       |
| Chenopodium album       | Lambsquarters         |
| Cichorium intybus       | Chicory               |
| Conzya canadensis       | Horseweed             |
| Digitaria sanguinalis   | Large Crabgrass *     |
| Festuca sp.             | Fescue * (turf grass) |
| Hydrangea sp.           | Hydrangea *           |
| Lepidium virginicum     | Virginia Pepperweed   |
| Lespedeza cuneata       | Chinese Bush-clover   |
| Linaria vulgaris        | Yellow Toadflax       |



| Lolium sp.           | Ryegrass* (turf grass)   |  |  |
|----------------------|--------------------------|--|--|
| Oxalis montana       | Common Wood Sorrel       |  |  |
| Plantago lanceolata  | Narrowleaf Plantain      |  |  |
| Plantago major       | Broadleaf Plantain       |  |  |
| Poa sp.              | Bluegrass * (turf grass) |  |  |
| Setaria viridis      | Green Foxtail            |  |  |
| Taraxacum officinale | Common Dandelion         |  |  |
| Trifolium pratense   | Red Clover               |  |  |
| Trifolium repens     | White Clover             |  |  |

\* Dominant species observed on-site.

### <u>Animals</u>

### Birds

| Branta canadensis    | Canada Goose         |
|----------------------|----------------------|
| Columba livia        | Rock Dove            |
| Cyanocitta cristata  | Blue Jay             |
| Haemorhous mexicanus | House Finch          |
| Larus argentatus     | Herring Gull         |
| Mimus polyglottos    | Northern Mockingbird |
| Passer domesticus    | House Sparrow        |
| Spinus tristis       | American Goldfinch   |
| Sturnus vulgaris     | European Starling    |
| Zenaida macroura     | Mourning Dove        |



### Species Included in Breeding Bird Atlas

| Family   | Species  | Family   | Species  |
|--|--|--|--|
| Swans, Geese, &<br>Ducks ( <i>Anatidae</i> )                   | Canada Goose<br>( <i>Branta canadensis</i> ) **<br>Mallard<br>(Anas platyrhynchos)   | Partridges, Grouse,<br>& Turkeys<br>(Phasianidae)            | Ring-necked<br>Pheasant<br>( <i>Phasianus colchicus</i> )  |
| Bitterns, Herons, &<br>Allies ( <i>Ardeidae</i> )              | Black-crowned Night-<br>Heron<br>( <i>Nycticorax nycticorax</i> )  | Kites, Eagles, Hawks,<br>& Allies<br>( <i>Accipitridae</i> ) | Red-tailed Hawk<br>( <i>Buteo jamaicensis</i> )  |
| Caracaras & Falcons<br>(Falconidae)                            | American Kestrel<br>(Falco sparverius)   | Plovers & Lapwings<br>(Charidriidae)                         | Killdeer<br>(Charadrius vociferus)   |
| Sandpipers,<br>Phalaropes, & Allies<br>( <i>Scolopacidae</i> ) | American Woodcock<br>(Scolopax minor)  | Skuas, Gulls, Terns,<br>& Skimmers<br>( <i>Laridae</i> )     | Forster's Tern<br>( <i>Sterna forsteri</i> )   |
| Pigeons & Doves<br>(Columbidae)                                | Rock Pigeon<br>(Columba livia) **<br>Mourning Dove<br>(Zenaida macroura) **  | Cuckoos,<br>Roadrunners, & Anis<br>( <i>Cuculidae</i> )      | Black-billed Cuckoo<br>(Coccyzus<br>erythropthalmus)   |
| Swifts (Apodidae)  | Chimney Swift<br>(Chaetura pelagica)   | Kingfishers<br>(Alcedinidae)                                 | Belted Kingfisher<br>( <i>Megaceryle alcyon</i> )  |
| Woodpeckers &<br>Allies ( <i>Picidae</i> )                     | Red-bellied<br>Woodpecker<br>( <i>Melanerpes carolinus</i> )<br>Downy Woodpecker<br>( <i>Picoides pubescens</i> )<br>Northern Flicker<br>( <i>Colaptes auratus</i> ) | Tyrant Flycatchers<br>( <i>Tyrannidae</i> )                  | Willow Flycatcher<br>( <i>Empidonax traillii</i> )<br>Eastern Kingbird<br>( <i>Tyrannus tyrannus</i> ) |
| Vireos ( <i>Vireonidae</i> )                                   | Warbling Vireo<br>( <i>Vireo gilvus</i> )<br>Red-eyed Vireo<br>( <i>Vireo olivaceus</i> )  | Jays, Magpies, &<br>Crows (Corvidae)                         | American Crow<br>(Corvus<br>brachyrhynchos) *  |
| Swallows<br>(Hirundinidae)                                     | Tree Swallow<br>( <i>Tachycineta bicolor</i> )<br>Barn Swallow<br>( <i>Hirundo rustica</i> )   | Chickadees &<br>Titmice ( <i>Paridae</i> )                   | Black-capped<br>Chickadee<br>( <i>Poecile atricapillus</i> ) *   |
| Wrens<br>(Troglodytidae)                                       | Carolina Wren<br>(Thryothorus<br>ludovicianus) *   | Thrushes ( <i>Turdidae</i> )                                 | American Robin<br>( <i>Turdus migratorius</i> )<br>**  |
| Mockingbirds,<br>Thrashers, & Allies<br>( <i>Mimidae</i> )     | Gray Catbird<br>( <i>Dumetella<br/>carolinensis</i> ) **<br>Northern<br>Mockingbird ( <i>Mimus</i>   | Starlings & Allies<br>(Sturnidae)                            | European Starling<br>( <i>Sturnus vulgaris</i> ) *   |
|  | polyglottos) **<br>Brown Thrasher<br>(Toxostoma rufum)   |  |  |



| Family   | Species   | Family                                    | Species   |
|--|---|---|---|
| Waxwings<br>(Bombycillidae)  | Cedar Waxwing<br>(Bombycilla cedrorum)                | Wood Warblers<br>(Parulidae)              | Yellow Warbler<br>(Dendroica petechia)                              |
|  |   |   | Common<br>Yellowthroat<br>( <i>Geothlypis trichas</i> )             |
| Towhees, Buntings,<br>Sparrows, & Allies<br>( <i>Emberizidae</i> ) | Eastern Towhee<br>(Pipilo<br>erythrophthalmus)        | Grosbeaks &<br>Buntings<br>(Cardinalidae) | Northern Cardinal<br>(Cardinalis cardinalis)<br>*                   |
|  | Chipping Sparrow<br>(Spizella passerina) *            |   |   |
|  | Field Sparrow<br>( <i>Spizella pusilla</i> )          |   |   |
|  | Song Sparrow<br>(Melospiza melodia) *                 |   |   |
| Blackbirds ( <i>lcteridae</i> )                                    | Red-winged Blackbird<br>(Agelaius phoeniceus)         | Finches ( <i>Fringillidae</i> )           | House Finch<br>( <i>Carpodacus</i>                                  |
|  | Eastern Meadowlark<br>(Sturnella magna)               |   | <i>mexicanus</i> ) *<br>American Goldfinch<br>(Carduelis tristis) * |
|  | Common Grackle<br>(Quiscalus quiscula) *              |   |   |
|  | Brown-headed<br>Cowbird ( <i>Molothrus<br/>ater</i> ) |   |   |
|  | Orchard Oriole<br>(Icterus spurius)                   |   |   |
|  | Baltimore Oriole<br>( <i>Icterus galbula</i> )        |   |   |
| Old World Sparrows<br>(Passeridae)                                 | House Sparrow<br>(Passer domesticus) **               |   |   |

\*Species expected to occur on-site.


\*\* Species observed on-site.

Hempstead Plains South - Francis T. Purcell Preserve NYNHP Records

- > Fauna
  - Upland Sandpiper (*Bartramia longicauda*; NYS Threatened bird species)
  - Frosted Elfin (*Callophrys irus*; NYS Threatened butterfly species)
- > Flora
  - Nuttall's Milkwort (*Polygala nuttallii*, NYS Threatened)
  - Sandplain Agalinis (*Agalinis decemloba (acuta)*, aka Sandplain gerardia federal and NYS Endangered plant)
  - Few-flowered Nut Sedge (Scleria pauciflora, NYS Endangered)
  - Bushy Rock Rose (Crocanthemum dumosum, NYS Threatened)
  - Hairy Small-leaved Tick Trefoil (*Desmodium ciliare*, NYS Threatened)
  - Hyssop Hedge Nettle (Stachys hyssopifolia var. hyssopifolia, NYS Threatened)
  - Narrow-leaved Bush Clover (Lespedeza angustifolia, NYS Threatened)
  - Narrow-leaved White-topped Aster (Sericocarpus linifolius, NYS Threatened)
  - White Colicroot (Aletris farinosa, NYS Threatened)

#### Hempstead Plains North on NCC Campus

- > Fauna
  - Upland Sandpiper (Bartramia longicauda; NYS Threatened bird species)
  - Frosted Elfin (*Callophrys irus*; NYS Threatened butterfly species)
- > Flora
  - Nuttall's Milkwort (*Polygala nuttallii*, NYS Threatened)
  - Sandplain Agalinis (*Agalinis decemloba (acuta)*, aka Sandplain gerardia federal and NYS Endangered plant)
  - Few-flowered Nut Sedge (*Scleria pauciflora*, NYS Endangered)
  - Bushy Rock Rose (Crocanthemum dumosum, NYS Threatened)
  - Hairy Small-leaved Tick Trefoil (Desmodium ciliare, NYS Threatened)
  - Hyssop Hedge Nettle (Stachys hyssopifolia var. hyssopifolia, NYS Threatened)
  - Narrow-leaved Bush Clover (*Lespedeza angustifolia*, NYS Threatened)
  - Midland Sedge (Carex mesochorea, NYS Threatened)
  - White Colicroot (Aletris farinosa, NYS Threatened)
  - Low Rock Rose (Crocanthemum propinguum, NYS Threatened)
  - Green Milkweed (Asclepias viridiflora, NYS Threatened)



| B.i.i [Coastal or Waterfront Area]  | No  |
|---|---|
| B.i.ii [Local Waterfront Revitalization Area]   | No  |
| C.2.b. [Special Planning District]  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h [DEC Spills or Remediation Site -<br>Potential Contamination History]           | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.i [DEC Spills or Remediation Site -<br>Listed]                                  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.i [DEC Spills or Remediation Site -<br>Environmental Site Remediation Database] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.iii [Within 2,000' of DEC Remediation Site]                                     | Yes   |
| E.1.h.iii [Within 2,000' of DEC Remediation Site - DEC ID]                            | 130112  |
| E.2.g [Unique Geologic Features]  | No  |
| E.2.h.i [Surface Water Features]  | No  |
| E.2.h.ii [Surface Water Features]   | Yes   |
| E.2.h.iii [Surface Water Features]  | Yes - Digital mapping information on local and federal wetlands and waterbodies is known to be incomplete. Refer to EAF Workbook. |
| E.2.h.v [Impaired Water Bodies]   | No  |
| E.2.i. [Floodway]   | No  |
| E.2.j. [100 Year Floodplain]  | No  |
| E.2.k. [500 Year Floodplain]  | No  |
| E.2.I. [Aquifers]   | Yes   |
| E.2.I. [Aquifer Names]  | Sole Source Aquifer Names:Nassau-Suffolk SSA  |
| E.2.n. [Natural Communities]  | Yes   |

| E.2.n.i [Natural Communities - Name]   | Hempstead Plains Grassland  |
|--|---|
| E.2.n.i [Natural Communities - Acres]  | 24.14   |
| E.2.o. [Endangered or Threatened Species]                                      | Yes   |
| E.2.o. [Endangered or Threatened Species -<br>Name]                            | Nuttall's Milkwort, Few-flowered Nut Sedge, Hairy Small-leaved Tick Trefoil,<br>Hyssop Hedge Nettle, Narrow-leaved White-topped Aster, Midland Sedge,<br>White Colicroot, Upland Sandpiper, Frosted Elfin |
| E.2.p. [Rare Plants or Animals]  | No  |
| E.3.a. [Agricultural District]   | No  |
| E.3.c. [National Natural Landmark]   | No  |
| E.3.d [Critical Environmental Area]  | No  |
| E.3.e. [National or State Register of Historic Places or State Eligible Sites] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.3.f. [Archeological Sites]   | No  |
| E.3.i. [Designated River Corridor]   | No  |



Department of Environmental Conservation

### NYS Breeding Bird Atlas Block 6150A 2000-2005



**Navigation Tools** 

Perform Another Search Show All Records Sort by Field Card Order Sort by Taxonomic Order View 1985 Data

### **Block 6150A Summary**

| 48 |
|----|
| 5  |
| 14 |
| 29 |
|    |

Click on column heading to sort by that category.

| Common Name          | Scientific Name             | Behavior<br>Code | Date      | NY Legal<br>Status |
|----------------------|-----------------------------|------------------|-----------|--------------------|
| Red-winged Blackbird | Agelaius phoeniceus         | DD               | 6/2/2003  | Protected          |
| Mallard              | Anas platyrhynchos          | FL               | 6/16/2003 | Game Species       |
| Cedar Waxwing        | Bombycilla cedrorum         | P2               | 6/26/2003 | Protected          |
| Canada Goose         | Branta canadensis           | FL               | 6/16/2003 | Game Species       |
| Red-tailed Hawk      | Buteo jamaicensis           | T2               | 7/5/2003  | Protected          |
| Northern Cardinal    | Cardinalis cardinalis       | FL               | 6/16/2003 | Protected          |
| House Finch          | Carpodacus mexicanus        | FL               | 6/23/2003 | Protected          |
| Chimney Swift        | Chaetura pelagica           | T2               | 7/24/2003 | Protected          |
| Killdeer             | Charadrius vociferus        | FL               | 7/21/2004 | Protected          |
| Black-billed Cuckoo  | Coccyzus<br>erythropthalmus | FY               | 6/16/2003 | Protected          |
| Northern Flicker     | Colaptes auratus            | FY               | 6/26/2003 | Protected          |
| Rock Pigeon          | Columba livia               | FY               | 6/16/2003 | Unprotected        |
| American Crow        | Corvus brachyrhynchos       | T2               | 6/4/2001  | Game Species       |
| Yellow Warbler       | Dendroica petechia          | DD               | 6/16/2003 | Protected          |
| Gray Catbird         | Dumetella carolinensis      | FY               | 6/20/2003 | Protected          |
| Willow Flycatcher    | Empidonax traillii          | T2               | 6/4/2001  | Protected          |
| American Kestrel     | Falco sparverius            | X1               | 6/26/2003 | Protected          |
| Common Yellowthroat  | Geothlypis trichas          | NY               | 6/23/2003 | Protected          |

### List of Species Breeding in Atlas Block 6150A

| Barn Swallow                  | Hirundo rustica          | P2 | 6/26/2003 | Protected    |
|-------------------------------|--------------------------|----|-----------|--------------|
| Baltimore Oriole              | Icterus galbula          | NY | 6/26/2003 | Protected    |
| Orchard Oriole                | Icterus spurius          | S2 | 6/2/2004  | Protected    |
| Belted Kingfisher             | Megaceryle alcyon        | T2 | 7/9/2003  | Protected    |
| Red-bellied Woodpecker        | Melanerpes carolinus     | P2 | 7/9/2003  | Protected    |
| Song Sparrow                  | Melospiza melodia        | NY | 6/2/2003  | Protected    |
| Northern Mockingbird          | Mimus polyglottos        | FY | 6/20/2003 | Protected    |
| Brown-headed Cowbird          | Molothrus ater           | P2 | 5/9/2003  | Protected    |
| Black-crowned Night-<br>Heron | Nycticorax nycticorax    | FL | 7/9/2003  | Protected    |
| House Sparrow                 | Passer domesticus        | FY | 6/2/2003  | Unprotected  |
| Ring-necked Pheasant          | Phasianus colchicus      | FL | 7/30/2004 | Game Species |
| Downy Woodpecker              | Picoides pubescens       | FL | 7/5/2003  | Protected    |
| Eastern Towhee                | Pipilo erythrophthalmus  | S2 | 6/16/2003 | Protected    |
| Black-capped Chickadee        | Poecile atricapillus     | FL | 7/21/2004 | Protected    |
| Common Grackle                | Quiscalus quiscula       | NY | 6/4/2001  | Protected    |
| American Woodcock             | Scolopax minor           | X1 | 7/2/2003  | Game Species |
| American Goldfinch            | Spinus tristis           | FL | 9/5/2003  | Protected    |
| Chipping Sparrow              | Spizella passerina       | S2 | 6/2/2003  | Protected    |
| Field Sparrow                 | Spizella pusilla         | FY | 6/26/2003 | Protected    |
| Forster's Tern                | Sterna forsteri          | FL | 7/9/2003  | Protected    |
| Eastern Meadowlark            | Sturnella magna          | T2 | 6/26/2003 | Protected    |
| European Starling             | Sturnus vulgaris         | FY | 6/2/2003  | Unprotected  |
| Tree Swallow                  | Tachycineta bicolor      | X1 | 6/2/2003  | Protected    |
| Carolina Wren                 | Thryothorus Iudovicianus | X1 | 7/5/2003  | Protected    |
| Brown Thrasher                | Toxostoma rufum          | T2 | 6/26/2003 | Protected    |
| American Robin                | Turdus migratorius       | NE | 6/2/2003  | Protected    |
| Eastern Kingbird              | Tyrannus tyrannus        | FY | 6/26/2003 | Protected    |
| Warbling Vireo                | Vireo gilvus             | FL | 7/5/2003  | Protected    |
| Red-eyed Vireo                | Vireo olivaceus          | X1 | 7/9/2003  | Protected    |
| Mourning Dove                 | Zenaida macroura         | FL | 6/2/2003  | Protected    |


Current Date: 8/26/2023

## IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

### Location





### Local office

Long Island Ecological Services Field Office

└ (631) 286-0485☑ (631) 286-4003

340 Smith Road Shirley, NY 11967-2258

TEORCONSULTATION

## Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

- 1. Draw the project location and click CONTINUE.
- 2. Click DEFINE PROJECT.
- 3. Log in (if directed to do so).
- 4. Provide a name and description for your project.
- 5. Click REQUEST SPECIES LIST.

Listed species<sup>1</sup> and their critical habitats are managed by the <u>Ecological Services Program</u> of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries<sup>2</sup>).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact <u>NOAA Fisheries</u> for <u>species under their jurisdiction</u>.

1. Species listed under the <u>Endangered Species Act</u> are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the <u>listing status page</u> for more information. IPaC only shows species that are regulated by USFWS (see FAQ). 2. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

### Mammals

| NAME  | STATUS     |
|---|------------|
| Northern Long-eared Bat Myotis septentrionalis<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9045</u>                 | Endangered |
| Birds   | 101        |
| NAME  | STATUS     |
| Piping Plover Charadrius melodus<br>There is final critical habitat for this species. Your location does<br>not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/6039</u> | Threatened |
| Rufa Red Knot Calidris canutus rufa<br>Wherever found<br>There is proposed critical habitat for this species.<br><u>https://ecos.fws.gov/ecp/species/1864</u>                                 | Threatened |
| Insects   |            |
| NAME  | STATUS     |
| Monarch Butterfly Danaus plexippus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9743</u>                             | Candidate  |
| Flowering Plants  |            |
| NAME  | STATUS     |
| Sandplain Gerardia Agalinis acuta<br>Wherever found<br>No critical habitat has been designated for this species.  | Endangered |

https://ecos.fws.gov/ecp/species/8128

### Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on all above listed species.

## Bald & Golden Eagles

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the <u>"Supplemental Information on Migratory Birds and Eagles"</u>.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds <u>https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</u>
- Nationwide conservation measures for birds <u>https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf</u>
- Supplemental Information for Migratory Birds and Eagles in IPaC <u>https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</u>

### There are bald and/or golden eagles in your project area.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area. This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities.

### **Probability of Presence Summary**

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read <u>"Supplemental Information on Migratory Birds and Eagles"</u>, specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
- 3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.


To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.



## What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the <u>Avian Knowledge Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply). To see a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

## What does IPaC use to generate the probability of presence graphs of bald and golden eagles in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development. Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to obtain a permit to avoid violating the <u>Eagle Act</u> should such impacts occur. Please contact your local Fish and Wildlife Service Field Office if you have questions.

## Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the <u>"Supplemental Information on Migratory Birds and Eagles"</u>.

- 1. The <u>Migratory Birds Treaty Act</u> of 1918.
- 2. The <u>Bald and Golden Eagle Protection Act</u> of 1940.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds <u>https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</u>
- Nationwide conservation measures for birds <a href="https://www.fws.gov/sites/default/files/">https://www.fws.gov/sites/default/files/</a>
- documents/nationwide-standard-conservation-measures.pdf
- Supplemental Information for Migratory Birds and Eagles in IPaC <u>https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</u>

The birds listed below are birds of particular concern either because they occur on the <u>USFWS Birds of Conservation Concern</u> (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ below. This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the <u>E-bird data mapping tool</u> (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your

list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found <u>below</u>.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON         |
|---|-------------------------|
| American Oystercatcher Haematopus palliatus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/8935</u>  | Breeds Apr 15 to Aug 31 |
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, but<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities. | Breeds Oct 15 to Aug 31 |
| Black-billed Cuckoo Coccyzus erythropthalmus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9399</u>   | Breeds May 15 to Oct 10 |
| Blue-winged Warbler Vermivora pinus<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA   | Breeds May 1 to Jun 30  |
| Bobolink Dolichonyx oryzivorus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds May 20 to Jul 31 |
| <b>Canada Warbler</b> Cardellina canadensis<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds May 20 to Aug 10 |
| Cerulean Warbler Dendroica cerulea<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/2974</u>   | Breeds Apr 29 to Jul 20 |

| <b>Chimney Swift</b> Chaetura pelagica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Bree |
|---|------|
| Gull-billed Tern Gelochelidon nilotica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9501</u> | Bree |
| Kentucky Warbler Oporornis formosus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Bree |
| Lesser Yellowlegs Tringa flavipes<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9679</u>      | Bree |
| <b>Pectoral Sandpiper</b> Calidris melanotos<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Bree |
| <b>Prairie Warbler</b> Dendroica discolor<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Bree |
| <b>Prothonotary Warbler</b> Protonotaria citrea<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Bree |
| <b>Red-headed Woodpecker</b> Melanerpes erythrocephalus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.                                | Bree |
| Rusty Blackbird Euphagus carolinus<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA                                  | Bree |
| Saltmarsh Sparrow Ammodramus caudacutus<br>This is a Bird of Conservation Concern (BCC) throughout its  | Bree |

range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9719</u>

Breeds Mar 15 to Aug 25

Breeds May 1 to Jul 31

Breeds Apr 20 to Aug 20

Breeds elsewhere

Breeds elsewhere

Breeds May 1 to Jul 31

Breeds Apr 1 to Jul 31

Breeds May 10 to Sep 10

Breeds elsewhere

Breeds May 15 to Sep 5

| Short-billed Dowitcher   | Limnodromus griseus                 |
|--------------------------|-------------------------------------|
| This is a Bird of Conser | vation Concern (BCC) throughout its |
| range in the continenta  | al USA and Alaska.                  |
| https://ecos.fws.gov/ec  | p/species/9480                      |

Willet Tringa semipalmata This is a Bird of Conservation Concern (BCC) throughout its

range in the continental USA and Alaska.

Wood Thrush Hylocichla mustelina This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

### Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read <u>"Supplemental Information on Migratory Birds and Eagles"</u>, specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

Breeds Apr 20 to Aug 5

Breeds May 10 to Aug 31

3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

|   |      |      | <b>p</b> r | robabilit | y of pre   | sence        | breed | ding sea           | son Is       | urvey e            | ffort –      | no data |
|---|------|------|------------|-----------|--|--------------|-------|--------------------|--------------|--------------------|--------------|---------|
| SPECIES   | JAN  | FEB  | MAR        | APR       | MAY  | JUN          | JUL   | AUG                | SEP          | OCT                | NOV          | DEC     |
| American<br>Oystercatcher<br>BCC Rangewide<br>(CON) |      | ΨĤ   | -411       | ┼╂╂╋      | <u></u><br>+<br>+<br>+<br>+<br>+<br>+<br>+<br>+<br>+<br>+<br>+<br>+<br>+ | ++++         | ++++  | ++++               | ++++         | ++++               | ++++         | ++++    |
| Bald Eagle<br>Non-BCC<br>Vulnerable                 |      | +++1 |            |           | <u></u>  | <b>ŧ</b> ŧŧ¦ | ***   | ╂╂╂╋               | ++++         | +++++              | +++1         | ***     |
| Black-billed<br>Cuckoo<br>BCC Rangewide<br>(CON)    | ++++ | ++++ | - ++++     | ++++      | +  | ┼┼┼╪         | ++++  | ++++               | ++++         | <mark>┼┼</mark> ┼┼ | ++++         | ++++    |
| Blue-winged<br>Warbler<br>BCC - BCR                 | ++++ | ++++ | - ++++     | ┼┼┿║      | <b>₽</b> ₽₽+   | ┼╪┼╪         | ┼┼載尊  | #II+I              | ****         | ++++               | ++++         | ++++    |
| Bobolink<br>BCC Rangewide<br>(CON)                  | ++++ | ++++ | - ++++     | ++++      | <mark>┼┿</mark> ╋╂   | ++++         | ┼┼╪┼  | ++++               | <b>*#</b> ++ | <b>•</b> +++       | <b>•</b> +++ | ++++    |
| Canada Warble<br>BCC Rangewide<br>(CON)             |      | ++++ | - ++++     | ++++      | <b>*#!!</b>  | ┼┼┼┼         | ++++  | <mark>┼</mark> ∎┿║ | <b>##</b> #+ | ++++               | ++++         | ++++    |

| Cerulean<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++             | ++++         | ++++ | ┼┼┼╂       | <b>┿</b> ╋╫╫ | ++++     | <mark>+++</mark> + | ++++               | ++++               | ++++            | ++++ | ++++ |
|---|------------------|--------------|------|------------|--------------|----------|--------------------|--------------------|--------------------|-----------------|------|------|
| Chimney Swift<br>BCC Rangewide<br>(CON)             | ++++             | ++++         | ++++ | ++###      |              |          |                    |                    |                    | <b>#</b> #++    | ++++ | ++++ |
| Gull-billed Tern<br>BCC Rangewide<br>(CON)          | ++++             | ++++         | ++++ | ++++       | ╂╋╂╂         | ++++     | ++++               | ++++               | ++++               | ++++            | ++++ | ++++ |
| Kentucky<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++             | ++++         | ++++ | ┼┼╂╂       | <b>┿</b> ┼┿┼ | ++++     | ++++               | <mark>┼┼┼</mark> ┼ | ++++               | ++++            | ++++ | ++++ |
| Lesser<br>Yellowlegs<br>BCC Rangewide<br>(CON)      | ++++             | ++++         | ++++ | ┼┿┼╇       | <b>###</b> + | ++++     | <u>+</u> ++≢       | +884               | ****               | ## <u>+</u> #   | 5    | ++++ |
| Pectoral<br>Sandpiper<br>BCC Rangewide<br>(CON)     | ++++             | ++++         | ++++ | ++++       | ++++         | ++++     | ++++               | ++##               | <del>11</del> ++   | <del>1111</del> | ++++ | ++++ |
| SPECIES   | JAN              | FEB          | MAR  | APR        | MAY          | JUN      | JUL                | AUG                | SEP                | OCT             | NOV  | DEC  |
| Prairie Warbler<br>BCC Rangewide<br>(CON)           | ++++             | ++++         | ++++ | +++#       | ų.           | <b>H</b> | 1+++               | ++++               | <b>###</b> +       | ++++            | ++++ | ++++ |
| Prothonotary<br>Warbler<br>BCC Rangewide<br>(CON)   | ++++             | ++++         | ₩,   | HHÌ        | <b>1</b>     | ┼┼┿┼     | ++++               | ++++               | ++++               | ++++            | ++++ | ++++ |
| Red-headed<br>Woodpecker<br>BCC Rangewide<br>(CON)  | <del>•\</del> ++ | ++++         | ++++ | ┼┼┼╇       | <b>┿╋</b> ╋╋ | ++++     | ++++               | ++++               | <mark>┼┼</mark> ┼┼ | ++++            | ++++ | ++++ |
| Rusty Blackbird<br>BCC - BCR                        | ***              | <b></b> ŧł₿∳ | ++## | <b>III</b> | <b>•</b> +++ | ++++     | ++++               | ++++               | +++#               | ****            | ++++ | +### |
| Saltmarsh<br>Sparrow<br>BCC Rangewide<br>(CON)      | ++++             | ++++         | ++++ | ++++       | ┼╂╂┼         | ┼┼┼┼     | ++++               | ┼╪┼┼               | ╉┼┼┼               | ++++            | ++++ | ++++ |
| Short-billed<br>Dowitcher<br>BCC Rangewide<br>(CON) | ++++             | ++++         | ++++ | ┼┼┼╇       | <b>•</b> +++ | ++++     | ++++               | ┼₩┼┼               | <b>•</b> +++       | ++++            | ++++ | ++++ |
| Willet<br>BCC Rangewide<br>(CON)                    | ++++             | ++++         | ++++ | ┼┼╂╇       | <b>┿</b> ╫╫  | ┼╪╪┼┼    | ++++               | <mark>┼</mark> ┼┼┼ | ++++               | ++++            | ++++ | ++++ |

Wood Thrush BCC Rangewide (CON)

## Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

┼┼┼┼ ┼┼┼┼ ┼┼┿╇ ╠╠╠║ ║║║║ ║╹╿║ ╻╻╻╻

<u>Nationwide Conservation Measures</u> describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. <u>Additional measures</u> or <u>permits</u> may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

## What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

## What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey</u>, <u>banding</u>, <u>and</u> <u>citizen science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

### How do I know if a bird is breeding, wintering or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may query your location using the <u>RAIL Tool</u> and look at the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird

on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

#### What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Eagle Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

### Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the <u>Northeast Ocean Data</u> <u>Portal</u>. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the <u>NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird</u> <u>Distributions and Abundance on the Atlantic Outer Continental Shelf</u> project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the <u>Diving Bird Study</u> and the <u>nanotag studies</u> or contact <u>Caleb Spiegel</u> or <u>Pam Loring</u>.

#### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to <u>obtain a permit</u> to avoid violating the Eagle Act should such impacts occur.

#### Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key

component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

## Facilities

### National Wildlife Refuge lands

Any activity proposed on lands managed by the <u>National Wildlife Refuge</u> system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

### There are no refuge lands at this location.

### Fish hatcheries

There are no fish hatcheries at this location.

## Wetlands in the National Wetlands Inventory (NWI)

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of</u> <u>Engineers District</u>.

Wetland information is not available at this time

This can happen when the National Wetlands Inventory (NWI) map service is unavailable, or for very large projects that intersect many wetland areas. Try again, or visit the <u>NWI map</u> to view wetlands at this location.

#### Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

#### Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

#### Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

### NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

### Division of Fish and Wildlife, New York Heritage Program

625 Broadway, Fifth Floor, Albany, NY 12233-4757 Phone: (518) 402-8935 | Fax: (518) 402-8925 www.dec.ny.gov

#### 02/09/2024

The attached report from the Environmental Resource Mapper includes information from the New York Natural Heritage Program database with respect to the location indicated on the map below. <u>This letter,</u> <u>together with the attached report from the Environmental Resource Mapper, is equivalent to, and carries the</u> <u>same validity, as a letter from the New York Natural Heritage Program</u>, including for projects where a Natural Heritage letter is required.

If your location of interest does <u>not</u> fall within an area covered by the Rare Plants and Rare Animals layer or in the Significant Natural Communities layer, then New York Natural Heritage has no records to report in the vicinity of your project site. Submitting a project screening request to NY Natural Heritage is <u>not</u> necessary.

If the attached report lists that your location of interest is in the vicinity of <u>state-listed animals</u>, including state-listed bats, please consult the <u>EAF Mapper</u> to obtain a list of the species involved. (You do not have to be filling out an Environmental Assessment Form in order to use the EAF Mapper). Then consult the appropriate <u>NYSDEC Regional Office</u> for information on any project requirements or permit conditions.

If the attached report lists unlisted animals, rare plants, or significant natural communities, and if you would like more information on these, please submit a project screening request to <u>New York Natural Heritage</u>. For more information, please see the DEC webpage **Request Natural Heritage Information for Project Screening**.


The absence of data does not necessarily mean that rare or state-listed species, significant natural communities, or other significant habitats do not exist on or adjacent to the proposed site. Rather, NYNHP files currently do not contain information that indicates their presence. For most sites, comprehensive field surveys have not been conducted. NYNHP cannot provide a definitive statement on the presence or absence of all rare or state-listed species or significant natural communities. Depending on the nature of the project and the conditions at the project site, further information from on-site surveys or other resources may be required to fully assess impacts on biological resources from a proposed project.

This response applies only to known occurrences of rare or state-listed animals and plants, significant natural communities, and other significant habitats maintained in the NYNHP database.

### New York Natural Heritage Program

https://www.nynhp.org/.

### **Environmental Resource Mapper**



#### The coordinates of the point you clicked on are:

| UTM 18             | Easting:   | 619044.0608131294  | Northing: | 4508815.059225217 |
|--------------------|------------|--------------------|-----------|-------------------|
| Longitude/Latitude | Longitude: | -73.59045546240739 | Latitude: | 40.72167033355419 |

The approximate address of the point you clicked on is: Nassau Veterans Memorial Coliseum

County: Nassau Town: Hempstead USGS Quad: FREEPORT

Natural Communities in the Vicinity

Natural Community Name: Hempstead Plains grassland Location: Hempstead Plains Grassland Significance: Rare Community Type

#### **Rare Plants and Rare Animals**

This location is in the vicinity of Plants Listed as Endangered, Threatened, or Rare by NYS

This location is in the vicinity of A Hand-maid Moth – Moth Not Listed by NYS

This location is in the vicinity of Animals Listed as Endangered or Threatened - Contact NYSDEC Regional Office

If your project or action is within or near an area with a rare animal, a permit may be required if the species is listed as endangered or threatened and the department determines the action may be harmful to the species or its habitat.

If your project or action is within or near an area with rare plants and/or significant natural communities, the environmental impacts may need to be addressed.

The presence of a unique geological feature or landform near a project, unto itself, does not trigger a requirement for a NYS DEC permit. Readers are advised, however, that there is the chance that a unique feature may also show in another data layer (ie. a wetland) and thus be subject to permit jurisdiction.

Please refer to the "Need a Permit?" tab for permit information or other authorizations regarding these natural resources.

**Disclaimer:** If you are considering a project or action in, or near, a wetland or a stream, a NYS DEC permit may be required. The Environmental Resources Mapper does not show all natural resources which are regulated by NYS DEC, and for which permits from NYS DEC are required. For example, Regulated Tidal Wetlands, and Wild, Scenic, and Recreational Rivers, are currently not included on the maps.

Print Preview


## IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

### Location

Nassau County, New York



### Local office

Long Island Ecological Services Field Office

▶ (631) 286-0485▶ (631) 286-4003

340 Smith Road

Shirley, NY 11967-2258

NOTFORCONSULTATION

## Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

- 1. Draw the project location and click CONTINUE.
- 2. Click DEFINE PROJECT.
- 3. Log in (if directed to do so).
- 4. Provide a name and description for your project.
- 5. Click REQUEST SPECIES LIST.

Listed species<sup>1</sup> and their critical habitats are managed by the <u>Ecological Services Program</u> of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries<sup>2</sup>).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact <u>NOAA Fisheries</u> for <u>species under their jurisdiction</u>.

1. Species listed under the <u>Endangered Species Act</u> are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the <u>listing status page</u> for more information. IPaC only shows species that are regulated by USFWS (see FAQ). 2. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

### Mammals

| I widirini di S  |                     |
|--|---------------------|
| NAME   | STATUS              |
| Northern Long-eared Bat Myotis septentrionalis<br>Wherever found   | Endangered          |
| No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9045</u>  |                     |
| <b>Tricolored Bat</b> Perimyotis subflavus<br>Wherever found   | Proposed Endangered |
| No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/10515</u>   | TAT                 |
| Birds  | ) <                 |
| NAME   | STATUS              |
| Piping Plover Charadrius melodus<br>There is final critical habitat for this species. Your location does<br>not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/6039</u>                                | Threatened          |
| Rufa Red Knot Calidris canutus rufa<br>Wherever found<br>There is <b>proposed</b> critical habitat for this species. Your location<br>does not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/1864</u> | Threatened          |
| Insects  |                     |
| NAME   | STATUS              |
| Monarch Butterfly Danaus plexippus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9743</u>  | Candidate           |
| Flowering Plants   |                     |

Endangered

JL

Sandplain Gerardia Agalinis acuta Wherever found No critical habitat has been designated for this species. <u>https://ecos.fws.gov/ecp/species/8128</u>

### **Critical habitats**

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on all above listed species.

## Bald & Golden Eagles

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the <u>"Supplemental Information on Migratory Birds and Eagles"</u>.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds <u>https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</u>
- Nationwide conservation measures for birds <u>https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf</u>
- Supplemental Information for Migratory Birds and Eagles in IPaC <u>https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</u>

There are likely bald eagles present in your project area. For additional information on bald eagles, refer to <u>Bald Eagle Nesting and Sensitivity to Human Activity</u>

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON         |
|---|-------------------------|
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, but<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities. | Breeds Oct 15 to Aug 31 |
|   |                         |

### Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read <u>"Supplemental Information on Migratory Birds and Eagles"</u>, specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort (I)

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

|                                     |     |        | р    | robabilit | y of pre     | sence | breed | ding sea | son Is | urvey e | ffort – | - no data |
|-------------------------------------|-----|--------|------|-----------|--------------|-------|-------|----------|--------|---------|---------|-----------|
| SPECIES                             | JAN | FEB    | MAR  | APR       | MAY          | JUN   | JUL   | AUG      | SEP    | OCT     | NOV     | DEC       |
| Bald Eagle<br>Non-BCC<br>Vulnerable | 111 | 1 4444 | ++++ | ++++      | <u>I</u> +++ | ++++  | ++++  | ++++     | ++++   | ++ 1 +  | ++++    | ++++      |

## What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the <u>Avian Knowledge Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply). To see a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

### What does IPaC use to generate the probability of presence graphs of bald and golden eagles in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

#### IPaC: Explore Location resources

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to obtain a permit to avoid violating the <u>Eagle Act</u> should such impacts occur. Please contact your local Fish and Wildlife Service Field Office if you have questions.

## Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the <u>"Supplemental Information on Migratory Birds and Eagles"</u>.

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The Bald and Golden Eagle Protection Act of 1940.

Additional information can be found using the following links:

- Eagle Management <u>https://www.fws.gov/program/eagle-management</u>
- Measures for avoiding and minimizing impacts to birds <u>https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-</u> <u>migratory-birds</u>
- Nationwide conservation measures for birds <u>https://www.fws.gov/sites/default/files/</u> <u>documents/nationwide-standard-conservation-measures.pdf</u>
- Supplemental Information for Migratory Birds and Eagles in IPaC <u>https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</u>

The birds listed below are birds of particular concern either because they occur on the <u>USFWS Birds of Conservation Concern</u> (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ <u>below</u>. This is not a list of every bird you may find in this

#### IPaC: Explore Location resources

location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the <u>E-bird data mapping tool</u> (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found <u>below</u>.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON         |
|---|-------------------------|
| American Oystercatcher Haematopus palliatus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/8935</u>  | Breeds Apr 15 to Aug 31 |
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, but<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities. | Breeds Oct 15 to Aug 31 |
| Black-billed Cuckoo Coccyzus erythropthalmus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9399</u>   | Breeds May 15 to Oct 10 |
| Blue-winged Warbler Vermivora cyanoptera<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA  | Breeds May 1 to Jun 30  |
| Bobolink Dolichonyx oryzivorus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds May 20 to Jul 31 |
| Canada Warbler Cardellina canadensis<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds May 20 to Aug 10 |

| //24, 8:25 PM   | IPaC: Explore Location resou   | Irces                   |
|---|--|-------------------------|
| Chimney Swift Chaetura pe<br>This is a Bird of Conservatio<br>range in the continental US | on Concern (BCC) throughout its  | Breeds Mar 15 to Aug 25 |
| Eastern Whip-poor-will An<br>This is a Bird of Conservatio<br>range in the continental US | on Concern (BCC) throughout its  | Breeds May 1 to Aug 20  |
| Kentucky Warbler Geothly<br>This is a Bird of Conservation<br>range in the continental US | on Concern (BCC) throughout its  | Breeds Apr 20 to Aug 20 |
| Prairie Warbler Setophaga<br>This is a Bird of Conservatio<br>range in the continental US | on Concern (BCC) throughout its  | Breeds May 1 to Jul 31  |
| -   | Melanerpes erythrocephalus<br>on Concern (BCC) throughout its<br>SA and Alaska.          | Breeds May 10 to Sep 10 |
|   | carolinus<br>on Concern (BCC) only in particular<br>(BCRs) in the continental USA        | Breeds elsewhere        |
|   | vacea<br>on Concern (BCC) only in particular<br>(BCRs) in the continental USA            | Breeds May 10 to Aug 10 |
|   | Calidris pusilla<br>on Concern (BCC) only in particular<br>(BCRs) in the continental USA | Breeds elsewhere        |
| Wood Thrush Hylocichla m<br>This is a Bird of Conservatio<br>range in the continental US  | on Concern (BCC) throughout its  | Breeds May 10 to Aug 31 |
| Probability of Pr   | esence Summary   |                         |

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read <u>"Supplemental Information on Migratory Birds and Eagles"</u>, specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
- 3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season ( )

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort (|)

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

|  |      |      | pr   | obabilit              | y of pre          | sence | breed | ding sea              | son ls  | survey e | ffort – | - no data |
|--|------|------|------|-----------------------|-------------------|-------|-------|-----------------------|---------|----------|---------|-----------|
| SPECIES  | JAN  | FEB  | MAR  | APR                   | MAY               | JUN   | JUL   | AUG                   | SEP     | OCT      | NOV     | DEC       |
| American<br>Oystercatcher<br>BCC Rangewide<br>(CON)  | ++++ | ++++ | ++++ | ++++                  | \$ <del>}</del> } | ++++  | ++++  | ++++                  | ++++    | ++++     | ++++    | ++++      |
| Bald Eagle<br>Non-BCC<br>Vulnerable                  | ++++ | ++++ | ++++ | ++++                  | 1+++              | +     | ++++  | ++++                  | ++++    | ++1+     | ++++    | ++++      |
| Black-billed<br>Cuckoo<br>BCC Rangewide<br>(CON)     | ++++ | ++++ | ++++ | ++++                  | ++++              | ++++  | ++++  | ++++                  | ++++    |          | 1       | HIH       |
| Blue-winged<br>Warbler<br>BCC - BCR                  | ++++ | ++++ | ++++ | +++                   | 1+++              | ++++  | ++++  |                       | -+++-   | ++++     | ++++    | +++++     |
| Bobolink<br>BCC Rangewide<br>(CON)                   | ++++ | ++++ | ++++ | +++1                  | ++++              | +++++ | Ð     | ¥7++                  | ++++    | ++++     | ++++    | +++++     |
| Canada Warbler<br>BCC Rangewide<br>(CON)             | TTTT | ++++ | ++++ | ,++( <del>+</del>     | +1                | 4+++  | ++++  | ++++                  | +∎+→    | ++++     | ++++    | ++++      |
| Chimney Swift<br>BCC Rangewide<br>(CON)              | ++++ | ++++ | +)++ | +++1                  | 11.               | +     | ++++  | <u>I</u> + <u>I</u> + | + [ + + | ++++     | ++++    | ++++      |
| Eastern Whip-<br>poor-will<br>BCC Rangewide<br>(CON) | ++++ | ++++ | ++++ | ++++                  | ++++              | ++++  | ++++  | ++++                  | ++1+    | ++++     | ++++    | ++++      |
| Kentucky<br>Warbler<br>BCC Rangewide<br>(CON)        |      | ++++ | ++++ | ++++                  | ++++              | ++++  | ++++  | ++++                  | ++++    | ++++     | ++++    | ++++      |
| Prairie Warbler<br>BCC Rangewide<br>(CON)            | ++++ | ++++ | ++++ | +++                   | ++++              | ++++  | ++++  | ++  +                 | +       | ++++     | ++++    | ++++      |
| Red-headed<br>Woodpecker<br>BCC Rangewide<br>(CON)   |      | ++++ | ++++ |                       | ++++              | ++++  | ++++  | ++++                  | ++++    | ++++     | ++++    | ++++      |
| Rusty Blackbird<br>BCC - BCR                         | ++++ | ++1+ | ++++ | <b>I</b> + <b>I</b> + | ++++              | ++++  | ++++  | ++++                  | ++++    | ++1+     | +++     | ++++      |

| 8/7/2 | 24, 8:25 PM                            |      |      |      |      | IP           | aC: Explor | e Location   | resources |         |      |      |      |
|-------|--|------|------|------|------|--------------|------------|--------------|-----------|---------|------|------|------|
|       | SPECIES                                | JAN  | FEB  | MAR  | APR  | MAY          | JUN        | JUL          | AUG       | SEP     | OCT  | NOV  | DEC  |
|       | Scarlet Tanager<br>BCC - BCR           | ++++ | ++++ | ++++ | +++1 | <u> </u> +++ | ++++       | <u>I</u> +++ | ++++      | + 1 ++  | 1+++ | ++++ | ++++ |
|       | Semipalmated<br>Sandpiper<br>BCC - BCR | ++++ | ++++ | ++++ | ++++ | ++++         | ++++       | ++++         | + -+++    | ++++    | ++++ | ++++ | ++++ |
|       | Wood Thrush<br>BCC Rangewide<br>(CON)  | ++++ | ++++ | ++++ | +++  | 1+++         | + [ + +    | 1+++         | ++1+      | + 1 + + | ++++ | ++++ | ++++ |
|       | (CON)                                  |      |      |      |      |              |            |              |           |         |      |      |      |

8/

### Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

<u>Nationwide Conservation Measures</u> describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. <u>Additional measures</u> or <u>permits</u> may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

## What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

## What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey</u>, <u>banding</u>, <u>and</u> <u>citizen science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

#### How do I know if a bird is breeding, wintering or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may query your location using the <u>RAIL Tool</u> and look at the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

### What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Eagle Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

### Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the <u>Northeast Ocean Data</u> <u>Portal</u>. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the <u>NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird</u> <u>Distributions and Abundance on the Atlantic Outer Continental Shelf</u> project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the <u>Diving Bird Study</u> and the <u>nanotag studies</u> or contact <u>Caleb Spiegel</u> or <u>Pam Loring</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to <u>obtain a permit</u> to avoid violating the Eagle Act should such impacts occur.

### Proper Interpretation and Use of Your Migratory Bird Report

#### IPaC: Explore Location resources

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

### Facilities

# SUL National Wildlife Refuge lands

Any activity proposed on lands managed by the National Wildlife Refuge system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

There are no refuge lands at this location.

### **Fish hatcheries**

There are no fish hatcheries at this location.

## Wetlands in the National Wetlands Inventory (NWI)

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of</u> <u>Engineers District</u>.

### This location did not intersect any wetlands mapped by NWI.

**NOTE:** This initial screening does **not** replace an on-site delineation to determine whether wetlands occur. Additional information on the NWI data is provided below.

### Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

### Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

### Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

### NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

### Division of Fish and Wildlife, New York Heritage Program

625 Broadway, Fifth Floor, Albany, NY 12233-4757 Phone: (518) 402-8935 | Fax: (518) 402-8925 www.dec.ny.gov

### 08/07/2024

The attached report from the Environmental Resource Mapper includes information from the New York Natural Heritage Program database with respect to the location indicated on the map below. <u>This letter,</u> <u>together with the attached report from the Environmental Resource Mapper, is equivalent to, and carries the</u> <u>same validity, as a letter from the New York Natural Heritage Program</u>, including for projects where a Natural Heritage letter is required.

If your location of interest does <u>not</u> fall within an area covered by the Rare Plants and Rare Animals layer or in the Significant Natural Communities layer, then New York Natural Heritage has no records to report in the vicinity of your project site. Submitting a project screening request to NY Natural Heritage is <u>not</u> necessary.

If the attached report lists that your location of interest is in the vicinity of <u>state-listed animals</u>, including state-listed bats, please consult the <u>EAF Mapper</u> to obtain a list of the species involved. (You do not have to be filling out an Environmental Assessment Form in order to use the EAF Mapper). Then consult the appropriate <u>NYSDEC Regional Office</u> for information on any project requirements or permit conditions.

If the attached report lists unlisted animals, rare plants, or significant natural communities, and if you would like more information on these, please submit a project screening request to <u>New York Natural Heritage</u>. For more information, please see the DEC webpage <u>Request Natural Heritage Information for Project</u> <u>Screening</u>.


The absence of data does not necessarily mean that rare or state-listed species, significant natural communities, or other significant habitats do not exist on or adjacent to the proposed site. Rather, NYNHP files currently do not contain information that indicates their presence. For most sites, comprehensive field surveys have not been conducted. NYNHP cannot provide a definitive statement on the presence or absence of all rare or state-listed species or significant natural communities. Depending on the nature of the project and the conditions at the project site, further information from on-site surveys or other resources may be required to fully assess impacts on biological resources from a proposed project.

This response applies only to known occurrences of rare or state-listed animals and plants, significant natural communities, and other significant habitats maintained in the NYNHP database.

### New York Natural Heritage Program

https://www.nynhp.org/.

### **Environmental Resource Mapper**



#### The coordinates of the point you clicked on are:

| UTM 18             | Easting:   | 616891.4504402509 | Northing: | 4511829.55664984  |
|--------------------|------------|-------------------|-----------|-------------------|
| Longitude/Latitude | Longitude: | -73.6153735493428 | Latitude: | 40.74912734841765 |

The approximate address of the point you clicked on is: Meadowbrook Parkway N, Carle Place, New York, 11514

County: Nassau Town: North Hempstead USGS Quad: FREEPORT

If your project or action is within or near an area with a rare animal, a permit may be required if the species is listed as endangered or threatened and the department determines the action may be harmful to the species or its habitat.

If your project or action is within or near an area with rare plants and/or significant natural communities, the environmental impacts may need to be addressed.

The presence of a unique geological feature or landform near a project, unto itself, does not trigger a requirement for a NYS DEC permit. Readers are advised, however, that there is the chance that a unique feature may also show in another data layer (ie. a wetland) and thus be subject to permit jurisdiction.

Please refer to the "Need a Permit?" tab for permit information or other authorizations regarding these natural resources.

**Disclaimer:** If you are considering a project or action in, or near, a wetland or a stream, a NYS DEC permit may be required. The Environmental Resources Mapper does not show all natural resources which are regulated by NYS DEC, and for which permits from NYS DEC are required. For example, Regulated Tidal Wetlands, and Wild, Scenic, and Recreational Rivers, are currently not included on the maps. Environmental Resource Mapper

Print Preview

### NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

### Division of Fish and Wildlife, New York Heritage Program

625 Broadway, Fifth Floor, Albany, NY 12233-4757 Phone: (518) 402-8935 | Fax: (518) 402-8925 www.dec.ny.gov

### 08/07/2024

The attached report from the Environmental Resource Mapper includes information from the New York Natural Heritage Program database with respect to the location indicated on the map below. <u>This letter,</u> <u>together with the attached report from the Environmental Resource Mapper, is equivalent to, and carries the</u> <u>same validity, as a letter from the New York Natural Heritage Program</u>, including for projects where a Natural Heritage letter is required.

If your location of interest does <u>not</u> fall within an area covered by the Rare Plants and Rare Animals layer or in the Significant Natural Communities layer, then New York Natural Heritage has no records to report in the vicinity of your project site. Submitting a project screening request to NY Natural Heritage is <u>not</u> necessary.

If the attached report lists that your location of interest is in the vicinity of <u>state-listed animals</u>, including state-listed bats, please consult the <u>EAF Mapper</u> to obtain a list of the species involved. (You do not have to be filling out an Environmental Assessment Form in order to use the EAF Mapper). Then consult the appropriate <u>NYSDEC Regional Office</u> for information on any project requirements or permit conditions.

If the attached report lists unlisted animals, rare plants, or significant natural communities, and if you would like more information on these, please submit a project screening request to <u>New York Natural Heritage</u>. For more information, please see the DEC webpage <u>Request Natural Heritage Information for Project</u> <u>Screening</u>.


The absence of data does not necessarily mean that rare or state-listed species, significant natural communities, or other significant habitats do not exist on or adjacent to the proposed site. Rather, NYNHP files currently do not contain information that indicates their presence. For most sites, comprehensive field surveys have not been conducted. NYNHP cannot provide a definitive statement on the presence or absence of all rare or state-listed species or significant natural communities. Depending on the nature of the project and the conditions at the project site, further information from on-site surveys or other resources may be required to fully assess impacts on biological resources from a proposed project.

This response applies only to known occurrences of rare or state-listed animals and plants, significant natural communities, and other significant habitats maintained in the NYNHP database.

### New York Natural Heritage Program

https://www.nynhp.org/.

### **Environmental Resource Mapper**



#### The coordinates of the point you clicked on are:

| UTM 18             | Easting:   | 616891.4504402509 | Northing: | 4511829.55664984  |
|--------------------|------------|-------------------|-----------|-------------------|
| Longitude/Latitude | Longitude: | -73.6153735493428 | Latitude: | 40.74912734841765 |

The approximate address of the point you clicked on is: Meadowbrook Parkway N, Carle Place, New York, 11514

County: Nassau Town: North Hempstead USGS Quad: FREEPORT

If your project or action is within or near an area with a rare animal, a permit may be required if the species is listed as endangered or threatened and the department determines the action may be harmful to the species or its habitat.

If your project or action is within or near an area with rare plants and/or significant natural communities, the environmental impacts may need to be addressed.

The presence of a unique geological feature or landform near a project, unto itself, does not trigger a requirement for a NYS DEC permit. Readers are advised, however, that there is the chance that a unique feature may also show in another data layer (ie. a wetland) and thus be subject to permit jurisdiction.

Please refer to the "Need a Permit?" tab for permit information or other authorizations regarding these natural resources.

**Disclaimer:** If you are considering a project or action in, or near, a wetland or a stream, a NYS DEC permit may be required. The Environmental Resources Mapper does not show all natural resources which are regulated by NYS DEC, and for which permits from NYS DEC are required. For example, Regulated Tidal Wetlands, and Wild, Scenic, and Recreational Rivers, are currently not included on the maps. Environmental Resource Mapper


Print Preview

## IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

### Location



### Local office

Long Island Ecological Services Field Office

**└** (631) 286-0485**i** (631) 286-4003

340 Smith Road

#### Shirley, NY 11967-2258

NOTFORCONSULTATION

## Endangered species

## This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

- 1. Draw the project location and click CONTINUE.
- 2. Click DEFINE PROJECT.
- 3. Log in (if directed to do so).
- 4. Provide a name and description for your project.
- 5. Click REQUEST SPECIES LIST.

Listed species<sup>1</sup> and their critical habitats are managed by the <u>Ecological Services Program</u> of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries<sup>2</sup>).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact <u>NOAA Fisheries</u> for <u>species under their jurisdiction</u>.

 Species listed under the <u>Endangered Species Act</u> are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the <u>listing status page</u> for more information. IPaC only shows species that are regulated by USFWS (see FAQ). 2. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

### Mammals

| NAME   | STATUS              |
|--|---------------------|
| Northern Long-eared Bat Myotis septentrionalis<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9045</u>  | Endangered          |
| Tricolored Bat Perimyotis subflavus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/10515</u>  | Proposed Endangered |
| Birds<br>NAME  | STATUS              |
| <b>Piping Plover</b> Charadrius melodus<br>There is <b>final</b> critical habitat for this species. Your location does<br>not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/6039</u>                  | Threatened          |
| Rufa Red Knot Calidris canutus rufa<br>Wherever found<br>There is <b>proposed</b> critical habitat for this species. Your location<br>does not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/1864</u> | Threatened          |
| Insects  |                     |
| NAME   | STATUS              |
| Monarch Butterfly Danaus plexippus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9743</u>  | Candidate           |
| Flowering Plants   |                     |
| NAME   | STATUS              |

Endangered

Sandplain Gerardia Agalinis acuta Wherever found No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/8128

### Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on all above listed species. 3112

### Bald & Golden Eagles

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

Additional information can be found using the following links:

- Eagle Management <u>https://www.fws.gov/program/eagle-management</u>
- Measures for avoiding and minimizing impacts to birds https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-takemigratory-birds
- Nationwide conservation measures for birds https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservationmeasures.pdf
- Supplemental Information for Migratory Birds and Eagles in IPaC https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-andgolden-eagles-may-occur-project-action

9/3/24, 6:16 AM

There are likely bald eagles present in your project area. For additional information on bald eagles, refer to Bald Eagle Nesting and Sensitivity to Human Activity

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON         |
|---|-------------------------|
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, but<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities. | Breeds Oct 15 to Aug 31 |
| Probability of Presence Summary   | -T10M                   |

### **Probability of Presence Summary**

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "Supplemental Information on Migratory Birds and Eagles", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12

(0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.


To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.



## What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the <u>Avian Knowledge Network (AKN</u>). The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply). To see a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

What does IPaC use to generate the probability of presence graphs of bald and golden eagles in my specified location?

#### IPaC: Explore Location resources

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

#### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to obtain a permit to avoid violating the <u>Eagle Act</u> should such impacts occur. Please contact your local Fish and Wildlife Service Field Office if you have questions.

## Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the <u>"Supplemental Information on Migratory Birds and Eagles"</u>.

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The <u>Bald and Golden Eagle Protection Act</u> of 1940.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds <u>https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</u>
- Nationwide conservation measures for birds <u>https://www.fws.gov/sites/default/files/</u> <u>documents/nationwide-standard-conservation-measures.pdf</u>
- Supplemental Information for Migratory Birds and Eagles in IPaC <u>https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</u>

#### IPaC: Explore Location resources

The birds listed below are birds of particular concern either because they occur on the USFWS Birds of Conservation Concern (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ below. This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the <u>E-bird data mapping tool</u> (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found <u>below</u>.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON               |
|---|-------------------------------|
| American Oystercatcher Haematopus palliatus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/8935</u>  | Breeds Apr 15 to Aug 31       |
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, bu<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities.<br>https://ecos.fws.gov/ecp/species/1626 | Breeds Oct 15 to Aug 31<br>ut |
| Black-billed Cuckoo Coccyzus erythropthalmus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9399</u>   | Breeds May 15 to Oct 10       |
| Blue-winged Warbler Vermivora cyanoptera<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA  | Breeds May 1 to Jun 30        |
| Bobolink Dolichonyx oryzivorus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds May 20 to Jul 31       |

| Canada Warbler Cardellina canadensis<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds May 20 to Aug 10 |
|--|-------------------------|
| <b>Cerulean Warbler</b> Setophaga cerulea<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/2974</u> | Breeds Apr 29 to Jul 20 |
| Chimney Swift Chaetura pelagica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Mar 15 to Aug 25 |
| Grasshopper Sparrow Ammodramus savannarum perpallidus  | Breeds Jun 1 to Aug 20  |
| This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA<br><u>https://ecos.fws.gov/ecp/species/8329</u>                           | LTAI                    |
| Gull-billed Tern Gelochelidon nilotica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9501</u>    | Breeds May 1 to Jul 31  |
| Kentucky Warbler Geothlypis formosa<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Apr 20 to Aug 20 |
| Least Tern Sternula antillarum antillarum<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Apr 25 to Sep 5  |
| Lesser Yellowlegs Tringa flavipes<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9679</u>         | Breeds elsewhere        |
| <b>Pectoral Sandpiper</b> Calidris melanotos<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds elsewhere        |

| 5/24, 0.10 AM   | IFac. Explore Education resol               | lices                   |
|---|---|-------------------------|
| Prairie Warbler Setophaga dis<br>This is a Bird of Conservation (<br>range in the continental USA a   | Concern (BCC) throughout its                | Breeds May 1 to Jul 31  |
| Prothonotary Warbler Proton<br>This is a Bird of Conservation (<br>range in the continental USA a   | Concern (BCC) throughout its                | Breeds Apr 1 to Jul 31  |
| Red-headed Woodpecker Me<br>This is a Bird of Conservation (<br>range in the continental USA a  | Concern (BCC) throughout its                | Breeds May 10 to Sep 10 |
| Rusty Blackbird Euphagus car<br>This is a Bird of Conservation (<br>Bird Conservation Regions (BC   | Concern (BCC) only in particular            | Breeds elsewhere        |
| Saltmarsh Sparrow Ammospi<br>This is a Bird of Conservation (<br>range in the continental USA a<br><u>https://ecos.fws.gov/ecp/speci</u>    | Concern (BCC) throughout its<br>and Alaska. | Breeds May 15 to Sep 5  |
| Scarlet Tanager Piranga olivad<br>This is a Bird of Conservation (<br>Bird Conservation Regions (BC   | Concern (BCC) only in particular            | Breeds May 10 to Aug 10 |
| Semipalmated Sandpiper Cal<br>This is a Bird of Conservation (<br>Bird Conservation Regions (BC   | Concern (BCC) only in particular            | Breeds elsewhere        |
| Short-billed Dowitcher Limno<br>This is a Bird of Conservation (<br>range in the continental USA a<br><u>https://ecos.fws.gov/ecp/speci</u> | Concern (BCC) throughout its<br>and Alaska. | Breeds elsewhere        |
| Willet Tringa semipalmata<br>This is a Bird of Conservation (<br>range in the continental USA a   | -   | Breeds Apr 20 to Aug 5  |
| Wood Thrush Hylocichla must<br>This is a Bird of Conservation (<br>range in the continental USA a   | Concern (BCC) throughout its                | Breeds May 10 to Aug 31 |

### Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read <u>"Supplemental Information on Migratory Birds and Eagles"</u>, specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
- 3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

|   |              |        | probability of presence |                      |                     |           | breed | ding sea | ison  | survey effort – no data |                   |        |
|---|--------------|--------|-------------------------|----------------------|---------------------|-----------|-------|----------|-------|-------------------------|-------------------|--------|
| SPECIES   | JAN          | FEB    | MAR                     | APR                  | MAY                 | JUN       | JUL   | AUG      | SEP   | OCT                     | NOV               | DEC    |
| American<br>Oystercatcher<br>BCC Rangewide<br>(CON) | ++++         | - ++++ | ++++                    | · ┼╂╂┿               | ╂╂╂┨                | ++++      | ┼┼┼┼  | ┼┼┼┼     | ++-   | ++ +++                  | ++++              |        |
| Bald Eagle<br>Non-BCC<br>Vulnerable                 | <b>┿</b> ║║╫ | ·∳┼₿∥  | +∎∎≢                    | <u></u> ∎∎∔≢         | ┿╪┼┼                | 1+++      | ++++  | ++++     | Ť     |                         | ų <del>1</del> 41 | 1 1111 |
| Black-billed<br>Cuckoo<br>BCC Rangewide<br>(CON)    | ++++         | - ++++ | ++++                    | ++++                 |                     |           | S     | ++++     | ++    | ++ ++++                 | + +++             | + ++++ |
| Blue-winged<br>Warbler<br>BCC - BCR                 | ++++         | - ++++ | ++++                    | +++##                |                     | )++++     | +++1  | 111      | +     | ++ +++                  | + ++++            | + ++++ |
| Bobolink<br>BCC Rangewide<br>(CON)                  | ++++         | +++1   | H                       | ++++                 | ++ <mark>+</mark> + | ++++      | ++++  | ++++     | - ++- | ┝┼║┼┼                   | + #++             | + ++++ |
| Canada Warble<br>BCC Rangewide<br>(CON)             |              | - ++++ | ++++                    | ++++                 |                     | ++++      | ++++  | +111     |       | ∎+ +++                  | + +++•            | + ++++ |
| Cerulean<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++         | - ++++ | ++++                    | · +++ <mark>+</mark> | <mark>‡</mark> ╂╂   | ++++      | ++++  | ++++     | - ++- | ++ +++                  | + +++             | + ++++ |
| Chimney Swift<br>BCC Rangewide<br>(CON)             | ++++         | - ++++ | +++++                   | ++11                 |                     | 1111      | 111   | 111      | 11    |                         | + ++++            | + ++++ |
| Grasshopper<br>Sparrow<br>BCC - BCR                 | ++++         | - ++++ | ++++                    | ++++                 | ┼┼┉╷                | - + + + + | ++++  | ++++     | - ++- | ++ +++                  | ┼╨┼┼              | + ++++ |
| Gull-billed Tern<br>BCC Rangewide<br>(CON)          | ++++         | - ++++ | ++++                    | ++++                 | ┼╪┼┼                | ++++      | ++++  | ++++     | - ++- | ++ +++                  | + ++++            | + ++++ |

| Kentucky<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++ | ++++ | ++++ | ┼┼ <mark>┼</mark> ┼ | <b>\$\$</b> ++   | ++++ | ++++ | ++++               | ++++               | ++++ | ++++ | ++++ |
|---|------|------|------|---------------------|------------------|------|------|--------------------|--------------------|------|------|------|
| Least Tern<br>BCC Rangewide<br>(CON)                | ++++ | ++++ | ++++ | +++ <mark>+</mark>  | ++++             | +++  | ++++ | ++++               | ++++               | ++++ | ++++ | ++++ |
| SPECIES   | JAN  | FEB  | MAR  | APR                 | MAY              | JUN  | JUL  | AUG                | SEP                | OCT  | NOV  | DEC  |
| Lesser<br>Yellowlegs<br>BCC Rangewide<br>(CON)      | ++++ | ++++ | ++++ | ++++                | <b>•</b> +++     | ++++ | ++++ | +                  | ∎+++               | ++++ | ++++ | ++++ |
| Pectoral<br>Sandpiper<br>BCC Rangewide<br>(CON)     | ++++ | ++++ | ++++ | ++++                | ++++             | ++++ | +++# | ++ <b>#</b> #      | <b>**</b> ++       | ++++ | ++++ | ++++ |
| Prairie Warbler<br>BCC Rangewide<br>(CON)           | ++++ | ++++ | ++++ | ┼┼║║                | ∎∎++             | ++++ | ++++ | ++++               | ++=++              | ++++ | ++++ | ++++ |
| Prothonotary<br>Warbler<br>BCC Rangewide<br>(CON)   | ++++ | ++++ | ++++ | <u></u> †∎∔≢        | ++++             | ++++ | ++++ | ++++               | ++++               | ++++ | ++++ | ++++ |
| Red-headed<br>Woodpecker<br>BCC Rangewide<br>(CON)  | ++++ | ++++ | ++++ | #++#                | <del>ال</del> ار | ++++ | ++++ | ++++               | ++++               | ++++ | ++++ | ++++ |
| Rusty Blackbird<br>BCC - BCR                        | ŧщ   | ыų   | ŊN   | Ш                   | <b>#</b> +++     | ++++ | ++++ | ++++               | ++++               | ┼┼║ᄈ | ┼▋▋▋ |      |
| Saltmarsh<br>Sparrow<br>BCC Rangewide<br>(CON)      |      | ++++ | ++++ | ++++                | ┼╂╂┼             | ┼┼┼┼ | ++++ | ┼╪┼┼               | <mark>∔</mark> +++ | ++++ | ++++ | ++++ |
| Scarlet Tanager<br>BCC - BCR                        | ++++ | ++++ | ++++ | +++∎                | <b>  </b>        | ++++ | ++++ | ++1+               |                    | ∎#++ | ++++ | ++++ |
| Semipalmated<br>Sandpiper<br>BCC - BCR              | ++++ | ++++ | ++++ | ++++                | ++++             | ++++ | ++++ | +                  | ∎+++               | ++++ | ++++ | ++++ |
| Short-billed<br>Dowitcher<br>BCC Rangewide<br>(CON) | ++++ | ++++ | ++++ | <b>┼┼┼</b> ┯        | <b>•</b> +++     | ++++ | ++++ | +#++               | <b>₩++++</b>       | ++++ | ++++ | ++++ |
| Willet<br>BCC Rangewide<br>(CON)                    | ++++ | ++++ | ++++ | ┼┼╂╇                | <b>┿</b> ╫╫      | ┼┿┼┼ | ++++ | <mark>┼</mark> ┼┼┼ | ++++               | ++++ | ++++ | ++++ |

### Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

<u>Nationwide Conservation Measures</u> describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. <u>Additional measures</u> or <u>permits</u> may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

### What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

### What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey</u>, <u>banding</u>, <u>and</u> <u>citizen science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

### How do I know if a bird is breeding, wintering or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may query your location using the <u>RAIL Tool</u> and look at the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird

on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

#### What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Eagle Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

### Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the <u>Northeast Ocean Data</u> <u>Portal</u>. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the <u>NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird</u> <u>Distributions and Abundance on the Atlantic Outer Continental Shelf</u> project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the <u>Diving Bird Study</u> and the <u>nanotag studies</u> or contact <u>Caleb Spiegel</u> or <u>Pam Loring</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to <u>obtain a permit</u> to avoid violating the Eagle Act should such impacts occur.

#### Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key

#### IPaC: Explore Location resources

component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

## Facilities

### National Wildlife Refuge lands

Any activity proposed on lands managed by the <u>National Wildlife Refuge</u> system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

### There are no refuge lands at this location.

### Fish hatcheries

There are no fish hatcheries at this location.

## Wetlands in the National Wetlands Inventory (NWI)

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of</u> <u>Engineers District</u>.

This location did not intersect any wetlands mapped by NWI.

**NOTE:** This initial screening does **not** replace an on-site delineation to determine whether wetlands occur. Additional information on the NWI data is provided below.

#### **Data limitations**

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

#### Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

#### Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.


## IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

Or

### Location



### Local office

Long Island Ecological Services Field Office

(631) 286-0485
(631) 286-4003

340 Smith Road

#### Shirley, NY 11967-2258

NOTFORCONSULTATION

# Endangered species

# This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

- 1. Draw the project location and click CONTINUE.
- 2. Click DEFINE PROJECT.
- 3. Log in (if directed to do so).
- 4. Provide a name and description for your project.
- 5. Click REQUEST SPECIES LIST.

Listed species<sup>1</sup> and their critical habitats are managed by the <u>Ecological Services Program</u> of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries<sup>2</sup>).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact <u>NOAA Fisheries</u> for <u>species under their jurisdiction</u>.

 Species listed under the <u>Endangered Species Act</u> are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the <u>listing status page</u> for more information. IPaC only shows species that are regulated by USFWS (see FAQ). 2. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

## Mammals

| NAME   | STATUS              |
|--|---------------------|
| Northern Long-eared Bat Myotis septentrionalis<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9045</u>  | Endangered          |
| Tricolored Bat Perimyotis subflavus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/10515</u>  | Proposed Endangered |
| Birds<br>NAME  | STATUS              |
| <b>Piping Plover</b> Charadrius melodus<br>There is <b>final</b> critical habitat for this species. Your location does<br>not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/6039</u>                  | Threatened          |
| Rufa Red Knot Calidris canutus rufa<br>Wherever found<br>There is <b>proposed</b> critical habitat for this species. Your location<br>does not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/1864</u> | Threatened          |
| Insects  |                     |
| NAME   | STATUS              |
| Monarch Butterfly Danaus plexippus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9743</u>  | Candidate           |
| Flowering Plants   |                     |
| NAME   | STATUS              |

Endangered

Sandplain Gerardia Agalinis acuta Wherever found No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/8128

## Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on all above listed species. 3112

## Bald & Golden Eagles

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

Additional information can be found using the following links:

- Eagle Management <u>https://www.fws.gov/program/eagle-management</u>
- Measures for avoiding and minimizing impacts to birds https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-takemigratory-birds
- Nationwide conservation measures for birds https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservationmeasures.pdf
- Supplemental Information for Migratory Birds and Eagles in IPaC https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-andgolden-eagles-may-occur-project-action

9/3/24, 6:19 AM

There are likely bald eagles present in your project area. For additional information on bald eagles, refer to Bald Eagle Nesting and Sensitivity to Human Activity

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON         |
|---|-------------------------|
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, but<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities. | Breeds Oct 15 to Aug 31 |
| https://ecos.fws.gov/ecp/species/1626<br>Probability of Presence Summary  | -T10M                   |

## **Probability of Presence Summary**

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "Supplemental Information on Migratory Birds and Eagles", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12

(0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.


To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.



# What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the <u>Avian Knowledge Network (AKN</u>). The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply). To see a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

What does IPaC use to generate the probability of presence graphs of bald and golden eagles in my specified location?

#### IPaC: Explore Location resources

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to obtain a permit to avoid violating the <u>Eagle Act</u> should such impacts occur. Please contact your local Fish and Wildlife Service Field Office if you have questions.

# Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the <u>"Supplemental Information on Migratory Birds and Eagles"</u>.

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The <u>Bald and Golden Eagle Protection Act</u> of 1940.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds <u>https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</u>
- Nationwide conservation measures for birds <u>https://www.fws.gov/sites/default/files/</u> <u>documents/nationwide-standard-conservation-measures.pdf</u>
- Supplemental Information for Migratory Birds and Eagles in IPaC <u>https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</u>

#### IPaC: Explore Location resources

The birds listed below are birds of particular concern either because they occur on the USFWS Birds of Conservation Concern (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ below. This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the <u>E-bird data mapping tool</u> (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found <u>below</u>.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON               |
|---|-------------------------------|
| American Oystercatcher Haematopus palliatus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/8935</u>  | Breeds Apr 15 to Aug 31       |
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, bu<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities.<br>https://ecos.fws.gov/ecp/species/1626 | Breeds Oct 15 to Aug 31<br>ut |
| Black-billed Cuckoo Coccyzus erythropthalmus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9399</u>   | Breeds May 15 to Oct 10       |
| Blue-winged Warbler Vermivora cyanoptera<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA  | Breeds May 1 to Jun 30        |
| <b>Bobolink</b> Dolichonyx oryzivorus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds May 20 to Jul 31       |

| Canada Warbler Cardellina canadensis<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds May 20 to Aug 10 |
|--|-------------------------|
| Cerulean Warbler Setophaga cerulea<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/2974</u>  | Breeds Apr 29 to Jul 20 |
| Chimney Swift Chaetura pelagica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Mar 15 to Aug 25 |
| Grasshopper Sparrow Ammodramus savannarum<br>perpallidus<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA<br><u>https://ecos.fws.gov/ecp/species/8329</u> | Breeds Jun 1 to Aug 20  |
| Gull-billed Tern Gelochelidon nilotica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9501</u>                                      | Breeds May 1 to Jul 31  |
| Kentucky Warbler Geothlypis formosa<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Apr 20 to Aug 20 |
| Least Tern Sternula antillarum antillarum<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Apr 25 to Sep 5  |
| Lesser Yellowlegs Tringa flavipes<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9679</u>   | Breeds elsewhere        |
| <b>Pectoral Sandpiper</b> Calidris melanotos<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds elsewhere        |

| 5/24, 0.19 AW   | IF aC. Explore Education re  | sources                 |
|---|--|-------------------------|
| Prairie Warbler Setophaga of This is a Bird of Conservatio range in the continental USA   | n Concern (BCC) throughout its   | Breeds May 1 to Jul 31  |
| Prothonotary Warbler Prote<br>This is a Bird of Conservatio<br>range in the continental USA   | n Concern (BCC) throughout its   | Breeds Apr 1 to Jul 31  |
| Red-headed Woodpecker M<br>This is a Bird of Conservatio<br>range in the continental USA  | n Concern (BCC) throughout its   | Breeds May 10 to Sep 10 |
|   | carolinus<br>n Concern (BCC) only in particular<br>BCRs) in the continental USA        | Breeds elsewhere        |
| Saltmarsh Sparrow Ammos<br>This is a Bird of Conservatio<br>range in the continental USA<br><u>https://ecos.fws.gov/ecp/spe</u>     | n Concern (BCC) throughout its<br>A and Alaska.  | Breeds May 15 to Sep 5  |
|   | /acea<br>n Concern (BCC) only in particular<br>BCRs) in the continental USA            | Breeds May 10 to Aug 10 |
|   | Calidris pusilla<br>n Concern (BCC) only in particular<br>BCRs) in the continental USA | Breeds elsewhere        |
| Short-billed Dowitcher Limr<br>This is a Bird of Conservatio<br>range in the continental USA<br><u>https://ecos.fws.gov/ecp/spe</u> | n Concern (BCC) throughout its<br>A and Alaska.  | Breeds elsewhere        |
| Willet Tringa semipalmata<br>This is a Bird of Conservatio<br>range in the continental USA  | n Concern (BCC) throughout its<br>A and Alaska.  | Breeds Apr 20 to Aug 5  |
| Wood Thrush Hylocichla mu<br>This is a Bird of Conservatio<br>range in the continental USA  | n Concern (BCC) throughout its   | Breeds May 10 to Aug 31 |

## Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read <u>"Supplemental Information on Migratory Birds and Eagles"</u>, specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
- 3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

|   |              |        | ∎рі  | robabilit            | y of pre           | esence | breed | ding sea | son   | survey e | ffort - | – no data |
|---|--------------|--------|------|----------------------|--------------------|--------|-------|----------|-------|----------|---------|-----------|
| SPECIES   | JAN          | FEB    | MAR  | APR                  | MAY                | JUN    | JUL   | AUG      | SEP   | OCT      | NOV     | DEC       |
| American<br>Oystercatcher<br>BCC Rangewide<br>(CON) | ++++         | - ++++ | ++++ | · ┼╂╂┿               | ┨┨┨                | ++++   | ++++  | ┼┼┼┼     | +++   | + ++++   | +++     | 1         |
| Bald Eagle<br>Non-BCC<br>Vulnerable                 | <b>∔∎∎</b> + | · •+∎∎ | +∎∎≢ | <b>₩</b> ₽┼ቀ         | <mark>∳</mark> ≢++ | 1+++   | ++++  | ++++     | +++   |          | +       |           |
| Black-billed<br>Cuckoo<br>BCC Rangewide<br>(CON)    | ++++         | ++++   | ++++ | · +++#               | 1111               | +++1   | S     | ++++     | +++   | + ++++   | • +++-  | +++++     |
| Blue-winged<br>Warbler<br>BCC - BCR                 | ++++         | ++++   | ++++ | +++#                 | <b>W</b>           | )++++  | +++   | 1111     | + • + | + ++++   | +++-    | +++++     |
| Bobolink<br>BCC Rangewide<br>(CON)                  | ++++         | ++++   | H.   | ++++                 | ++++               | ++++   | ++++  | ++++     | +++   | ┼╙┼┼┤    | • •++-  | +++++     |
| Canada Warble<br>BCC Rangewide<br>(CON)             |              | ++++   | ++++ | ++++                 |                    | ++++   | ++++  | +111     | *     | + ++++   | +++-    | +++++     |
| Cerulean<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++         | - ++++ | ++++ | · +++ <mark>+</mark> | <mark>↓</mark> ┼┼  | ++++   | ++++  | ++++     | +++   | + ++++   | • +++-  | +++++     |
| Chimney Swift<br>BCC Rangewide<br>(CON)             | ++++         | ++++   | ++++ | <b>+</b> +11         |                    | 1111   | 111   | 1111     |       | ▋ ▌┼┼┼   | +++-    | + ++++    |
| Grasshopper<br>Sparrow<br>BCC - BCR                 | ++++         | ++++   | ++++ | ++++                 | ++#+               | ++++   | ++++  | ++++     | +++   | + ++++   | • #++-  | +++++     |
| Gull-billed Tern<br>BCC Rangewide<br>(CON)          |              | - ++++ | ++++ | ++++                 | ┼╪╪┼               | ++++   | ++++  | ++++     | ++++  | + ++++   | +++-    | +++++     |

| Kentucky<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++ ++++ | ++++ ++                 | ++ +++++++                                   | ++ ++++ +++         | + ++++ ++++                             | + ++++ ++++ |
|---|-----------|-------------------------|--|---------------------|---|-------------|
| Least Tern<br>BCC Rangewide<br>(CON)                | ++++ ++++ | - ++++ ++-              | ++ ++++++                                    | + + +++             | + ++++ ++++                             | + ++++ ++++ |
| SPECIES   | JAN FEB   | MAR APR                 | MAY JUN                                      | JUL AUG             | SEP OCT                                 | NOV DEC     |
| Lesser<br>Yellowlegs<br>BCC Rangewide<br>(CON)      | ++++ ++++ | - ++++ ++-              | ┼┼ ┿┼┼┼ ┼┼                                   | ++ ++++ +11         | ₩ ₩+++ +++                              | + ++++      |
| Pectoral<br>Sandpiper<br>BCC Rangewide<br>(CON)     | ++++ ++++ | - ++++ ++-              | ++ ++++ ++                                   | ++ ++++             | <b>* **</b> ++ +++                      | + ++++ ++++ |
| Prairie Warbler<br>BCC Rangewide<br>(CON)           | ++++ ++++ | ++++ ++                 | <b>                                     </b> | ++ ++++             | + ++m+ +++                              | + ++++ ++++ |
| Prothonotary<br>Warbler<br>BCC Rangewide<br>(CON)   | ++++ ++++ | · ++++ <mark>+</mark> # |  | ++ ++++             | + ++++ +++                              | + ++++ ++++ |
| Red-headed<br>Woodpecker<br>BCC Rangewide<br>(CON)  | ++++ ++++ | • ++++ ++•              | + <b>*</b> + <b>(</b> ())                    | <u> </u>   ++++ +++ | <mark>+ ++</mark> ++ ++++               | + ++++ ++++ |
| Rusty Blackbird<br>BCC - BCR                        | 1111.0+0  | IN II                   | ▋▋ ♥┼┼┼ ┼┼                                   | .++ ++++ +++        | + ++++ ++                               | ⊨+∎∎∎ ∎∎∎∎  |
| Saltmarsh<br>Sparrow<br>BCC Rangewide<br>(CON)      |           | - ++++ ++-              | ┼┼╶┼ <mark>┼┼┼</mark> ╺┼┼                    | ++ +++ +++          | <mark>┼</mark> ╫┼┼┼ ┼┼┼·                | + ++++ ++++ |
| Scarlet Tanager<br>BCC - BCR                        | ++++ ++++ | - ++++ ++-              | ┼║║ <mark>║</mark> ║║ ┼┼                     | ++ +++ ++           | +                                       | + ++++ ++++ |
| Semipalmated<br>Sandpiper<br>BCC - BCR              | ++++ ++++ | • ++++ ++•              | ++ +#++ ++                                   | ++ ++++ +           | + 1++++++++++++++++++++++++++++++++++++ | + ++++ ++++ |
| Short-billed<br>Dowitcher<br>BCC Rangewide<br>(CON) |           | - ++++ ++-              | ┼┿┿┼┼┼┼┼                                     | ++ ++++ +++         | + +++++++++++++++++++++++++++++++++++++ | + ++++ ++++ |
| Willet<br>BCC Rangewide<br>(CON)                    | ++++ ++++ | - ++++ ++               | ++ ++++ ++                                   | ++ +++ +++          | + ++++ ++++                             | + ++++ ++++ |

## Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

<u>Nationwide Conservation Measures</u> describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. <u>Additional measures</u> or <u>permits</u> may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

## What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

## What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey</u>, <u>banding</u>, <u>and</u> <u>citizen science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

### How do I know if a bird is breeding, wintering or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may query your location using the <u>RAIL Tool</u> and look at the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird

on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

### What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Eagle Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

### Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the <u>Northeast Ocean Data</u> <u>Portal</u>. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the <u>NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird</u> <u>Distributions and Abundance on the Atlantic Outer Continental Shelf</u> project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the <u>Diving Bird Study</u> and the <u>nanotag studies</u> or contact <u>Caleb Spiegel</u> or <u>Pam Loring</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to <u>obtain a permit</u> to avoid violating the Eagle Act should such impacts occur.

### Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key

#### IPaC: Explore Location resources

component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

# Facilities

## National Wildlife Refuge lands

Any activity proposed on lands managed by the <u>National Wildlife Refuge</u> system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

### There are no refuge lands at this location.

## Fish hatcheries

There are no fish hatcheries at this location.

# Wetlands in the National Wetlands Inventory (NWI)

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of</u> <u>Engineers District</u>.

Please note that the NWI data being shown may be out of date. We are currently working to update our NWI data set. We recommend you verify these results with a site visit to determine the actual extent of wetlands on site. This location overlaps the following wetlands:

RIVERINE <u>R4SBC</u>

A full description for each wetland code can be found at the <u>National Wetlands Inventory</u> <u>website</u>

**NOTE:** This initial screening does **not** replace an on-site delineation to determine whether wetlands occur. Additional information on the NWI data is provided below.

### Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

### Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

### Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.




**Disclaimer:** The EAF Mapper is a screening tool intended to assist project sponsors and reviewing agencies in preparing an environmental assessment form (EAF). Not all questions asked in the EAF are answered by the EAF Mapper. Additional information on any EAF question can be obtained by consulting the EAF Workbooks. Although the EAF Mapper provides the most up-to-date digital data available to DEC, you may also need to contact local or other data sources in order to obtain data not provided by the Mapper. Digital data is not a substitute for agency determinations.

Brockville Barrie Montpe Kingston Toronto Hamilton Rochester New York Buffalo Albany Sources Esr, HERE, Garmin, USGS, Intermap, INCREMENT P NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC. (c) OpenStreetMap contributory and the GIS User Commonity, Esri, HERE, Garmin, MEX (OSGS, NPS Pittsburgh

| B.i.i [Coastal or Waterfront Area]  | No  |
|---|---|
| B.i.ii [Local Waterfront Revitalization Area]   | No  |
| C.2.b. [Special Planning District]  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h [DEC Spills or Remediation Site -<br>Potential Contamination History]           | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.i [DEC Spills or Remediation Site -<br>Listed]                                  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.i [DEC Spills or Remediation Site -<br>Environmental Site Remediation Database] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.iii [Within 2,000' of DEC Remediation Site]                                     | No  |
| E.2.g [Unique Geologic Features]  | No  |
| E.2.h.i [Surface Water Features]  | No  |
| E.2.h.ii [Surface Water Features]   | Yes   |
| E.2.h.iii [Surface Water Features]  | Yes - Digital mapping information on local and federal wetlands and waterbodies is known to be incomplete. Refer to EAF Workbook. |
| E.2.h.v [Impaired Water Bodies]   | No  |
| E.2.i. [Floodway]   | No  |
| E.2.j. [100 Year Floodplain]  | No  |
| E.2.k. [500 Year Floodplain]  | No  |
| E.2.I. [Aquifers]   | Yes   |
| E.2.I. [Aquifer Names]  | Sole Source Aquifer Names:Nassau-Suffolk SSA  |
| E.2.n. [Natural Communities]  | Yes   |
| E.2.n.i [Natural Communities - Name]  | Hempstead Plains Grassland  |

| E.2.n.i [Natural Communities - Acres]  | 24.14  |
|--|--|
| E.2.o. [Endangered or Threatened Species]                                      | Yes  |
| E.2.o. [Endangered or Threatened Species - Name]                               | Few-flowered Nut Sedge, Nuttall's Milkwort, Hairy Small-leaved Tick Trefoil, Upland Sandpiper, Frosted Elfin |
| E.2.p. [Rare Plants or Animals]  | No   |
| E.3.a. [Agricultural District]   | No   |
| E.3.c. [National Natural Landmark]   | No   |
| E.3.d [Critical Environmental Area]  | No   |
| E.3.e. [National or State Register of Historic Places or State Eligible Sites] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.                             |
| E.3.f. [Archeological Sites]   | No   |
| E.3.i. [Designated River Corridor]   | No   |



| B.i.i [Coastal or Waterfront Area]  | No  |
|---|---|
| B.i.ii [Local Waterfront Revitalization Area]   | No  |
| C.2.b. [Special Planning District]  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h [DEC Spills or Remediation Site -<br>Potential Contamination History]           | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.i [DEC Spills or Remediation Site -<br>Listed]                                  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.i [DEC Spills or Remediation Site -<br>Environmental Site Remediation Database] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.  |
| E.1.h.iii [Within 2,000' of DEC Remediation Site]                                     | No  |
| E.2.g [Unique Geologic Features]  | No  |
| E.2.h.i [Surface Water Features]  | Yes   |
| E.2.h.ii [Surface Water Features]   | Yes   |
| E.2.h.iii [Surface Water Features]  | Yes - Digital mapping information on local and federal wetlands and waterbodies is known to be incomplete. Refer to EAF Workbook. |
| E.2.h.iv [Surface Water Features - Stream Name]                                       | 885-138   |
| E.2.h.iv [Surface Water Features - Stream<br>Classification]                          | С   |
| E.2.h.iv [Surface Water Features - Wetlands Name]                                     | Federal Waters  |
| E.2.h.v [Impaired Water Bodies]   | No  |
| E.2.i. [Floodway]   | No  |
| E.2.j. [100 Year Floodplain]  | Yes   |
| E.2.k. [500 Year Floodplain]  | No  |

| E.2.I. [Aquifers]  | Yes  |
|--|--|
| E.2.I. [Aquifer Names]   | Sole Source Aquifer Names:Nassau-Suffolk SSA                                     |
| E.2.n. [Natural Communities]   | Yes  |
| E.2.n.i [Natural Communities - Name]   | Hempstead Plains Grassland   |
| E.2.n.i [Natural Communities - Acres]  | 24.14  |
| E.2.o. [Endangered or Threatened Species]                                      | Yes  |
| E.2.o. [Endangered or Threatened Species -<br>Name]                            | Upland Sandpiper, Frosted Elfin  |
| E.2.p. [Rare Plants or Animals]  | No   |
| E.3.a. [Agricultural District]   | No   |
| E.3.c. [National Natural Landmark]   | No   |
| E.3.d [Critical Environmental Area]  | No   |
| E.3.e. [National or State Register of Historic Places or State Eligible Sites] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook. |
| E.3.f. [Archeological Sites]   | No   |
| E.3.i. [Designated River Corridor]   | No   |

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

### Division of Fish and Wildlife, New York Heritage Program

625 Broadway, Fifth Floor, Albany, NY 12233-4757 Phone: (518) 402-8935 | Fax: (518) 402-8925 www.dec.ny.gov

### 09/02/2024

The attached report from the Environmental Resource Mapper includes information from the New York Natural Heritage Program database with respect to the location indicated on the map below. <u>This letter,</u> <u>together with the attached report from the Environmental Resource Mapper, is equivalent to, and carries the same validity, as a letter from the New York Natural Heritage Program, including for projects where a Natural Heritage letter is required.</u>

If your location of interest does <u>not</u> fall within an area covered by the Rare Plants and Rare Animals layer or in the Significant Natural Communities layer, then New York Natural Heritage has no records to report in the vicinity of your project site. Submitting a project screening request to NY Natural Heritage is <u>not</u> necessary.

If the attached report lists that your location of interest is in the vicinity of <u>state-listed animals</u>, including state-listed bats, please consult the <u>EAF Mapper</u> to obtain a list of the species involved. (You do not have to be filling out an Environmental Assessment Form in order to use the EAF Mapper). Then consult the appropriate <u>NYSDEC Regional Office</u> for information on any project requirements or permit conditions.

If the attached report lists unlisted animals, rare plants, or significant natural communities, and if you would like more information on these, please submit a project screening request to <u>New York Natural Heritage</u>. For more information, please see the DEC webpage <u>Request Natural Heritage Information for Project</u> <u>Screening</u>.

The absence of data does not necessarily mean that rare or state-listed species, significant natural communities, or other significant habitats do not exist on or adjacent to the proposed site. Rather, NYNHP files currently do not contain information that indicates their presence. For most sites, comprehensive field surveys have not been conducted. NYNHP cannot provide a definitive statement on the presence or absence of all rare or state-listed species or significant natural communities. Depending on the nature of the project and the conditions at the project site, further information from on-site surveys or other resources may be required to fully assess impacts on biological resources from a proposed project.

This response applies only to known occurrences of rare or state-listed animals and plants, significant natural communities, and other significant habitats maintained in the NYNHP database.

### New York Natural Heritage Program

https://www.nynhp.org/.

## **Environmental Resource Mapper**



#### The coordinates of the point you clicked on are:

| UTM 18             | Easting:   | 619860.633582077   | Northing: | 4508417.611802273  |
|--------------------|------------|--------------------|-----------|--------------------|
| Longitude/Latitude | Longitude: | -73.58086564393973 | Latitude: | 40.717972501526056 |

The approximate address of the point you clicked on is: Meadowbrook Parkway S, Uniondale, New York, 11553

County: Nassau Town: Hempstead USGS Quad: FREEPORT

Waterbody Classifications for Rivers/Streams

Regulation: 885-138 Standard: C Classification: C

#### **Freshwater Wetlands Checkzone**

This location is in the vicinity of one or more Regulated Freshwater Wetlands.

#### **Natural Communities in the Vicinity**

Natural Community Name: Hempstead Plains grassland Location: Hempstead Plains Grassland Significance: Rare Community Type

#### **Rare Plants and Rare Animals**

This location is in the vicinity of Plants Listed as Endangered, Threatened, or Rare by NYS

This location is in the vicinity of Animals Listed as Endangered or Threatened - Contact NYSDEC Regional Office

**National Wetands Inventory** 

Attribute: R4SBC Type: Riverine Acres: 1.9430827611911425

For more information about the National Wetands Inventory wetlands visit http://www.fws.gov/wetlands/

If your project or action is within or near an area with a rare animal, a permit may be required if the species is listed as endangered or threatened and the department determines the action may be harmful to the species or its habitat.

If your project or action is within or near an area with rare plants and/or significant natural communities, the environmental impacts may need to be addressed.


The presence of a unique geological feature or landform near a project, unto itself, does not trigger a requirement for a NYS DEC permit. Readers are advised, however, that there is the chance that a unique feature may also show in another data layer (ie. a wetland) and thus be subject to permit jurisdiction.

Please refer to the "Need a Permit?" tab for permit information or other authorizations regarding these natural resources.

**Disclaimer:** If you are considering a project or action in, or near, a wetland or a stream, a NYS DEC permit may be required. The Environmental Resources Mapper does not show all natural resources which are regulated by NYS DEC, and for which permits from NYS DEC are required. For example, Regulated Tidal Wetlands, and Wild, Scenic, and Recreational Rivers, are currently not included on the maps.

Print Preview





ENVIRONMENTAL • PLANNING • CONSULTING 572 WALT WHITMAN ROAD, MELVILLE, NY 11747 - 2188 (631) 427-5665 FAX (631) 427-5620 npv@nelsonpope.com

July 18, 2008

Mr. Rob Marsh Division of Environmental Permits NYS Department of Environmental Conservation SUNY at Stony Brook 50 Circle Road Stony Brook, NY 11790

> Re: Lighthouse Development Group Pre-Application Meeting NP&V #07183

Dear Rob:

We would like to confirm the understanding of the meeting we had with you on July 15, 2008 regarding proposed roadway improvements for the above-referenced property in the vicinity of freshwater wetlands.

The proposed roadway improvements involve activities within 100' of Article 24 designated wetlands, therefore, an NYSDEC Article 24 Freshwater Wetlands Permit would be required prior to commencing construction activities. At the meeting, you had indicated that it did not appear to be a problem to issue an Article 24 permit for the roadway improvements as they are proposed within the existing pavement limits (within the 100 foot wetlands adjacent area) and/or existing areas of maintained turf. You had further indicated that NYSDEC would seek drainage improvements (either stormwater storage for a two inch rainfall event or water quality improvements as required under the NYSDEC General Permit for Stormwater Discharges from Construction Activities) associated with the roadway improvements as part of freshwater wetland permit review.

Upon completion of the GEIS, construction drawings for these roadway improvements will be prepared for inclusion in a formal submission to the NYSDEC for the required Article 24 Freshwater Wetlands permit. Please contact this office if there is anything in this letter that is not consistent with what was discussed.

Please do not hesitate to call should you have any questions. Thank you.

Sincerely,

**NELSON, POPE & VOORHIS, LLC** 

Charles J. Voorhis

Charles J. Voorhis, CEP, AICP

cc: Michael Picker File

# IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

## Location

Nassau County, New York



## Local office

Long Island Ecological Services Field Office

▶ (631) 286-0485
▶ (631) 286-4003

340 Smith Road

#### Shirley, NY 11967-2258

NOTFORCONSULTATION

# Endangered species

# This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

- 1. Draw the project location and click CONTINUE.
- 2. Click DEFINE PROJECT.
- 3. Log in (if directed to do so).
- 4. Provide a name and description for your project.
- 5. Click REQUEST SPECIES LIST.

Listed species<sup>1</sup> and their critical habitats are managed by the <u>Ecological Services Program</u> of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries<sup>2</sup>).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact <u>NOAA Fisheries</u> for <u>species under their jurisdiction</u>.

 Species listed under the <u>Endangered Species Act</u> are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the <u>listing status page</u> for more information. IPaC only shows species that are regulated by USFWS (see FAQ). 2. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

## Mammals

| NAME   | STATUS              |
|--|---------------------|
| Northern Long-eared Bat Myotis septentrionalis<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9045</u>                                  | Endangered          |
| Tricolored Bat Perimyotis subflavus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/10515</u>  | Proposed Endangered |
| Birds<br>NAME  | STATUS              |
| Piping Plover Charadrius melodus<br>There is final critical habitat for this species. Your location does<br>not overlap the critical habitat.<br><u>https://ecos.fws.gov/ecp/species/6039</u>                  | Threatened          |
| Rufa Red Knot Calidris canutus rufa<br>Wherever found<br>There is proposed critical habitat for this species. Your location<br>does not overlap the critical habitat.<br>https://ecos.fws.gov/ecp/species/1864 | Threatened          |
| Insects  |                     |
| NAME   | STATUS              |
| Monarch Butterfly Danaus plexippus<br>Wherever found<br>No critical habitat has been designated for this species.<br><u>https://ecos.fws.gov/ecp/species/9743</u>  | Candidate           |
| Flowering Plants   |                     |
| NAME   | STATUS              |

Endangered

Sandplain Gerardia Agalinis acuta Wherever found No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/8128

## Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on all above listed species. 3112

# Bald & Golden Eagles

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

Additional information can be found using the following links:

- Eagle Management <u>https://www.fws.gov/program/eagle-management</u>
- Measures for avoiding and minimizing impacts to birds https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-takemigratory-birds
- Nationwide conservation measures for birds https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservationmeasures.pdf
- Supplemental Information for Migratory Birds and Eagles in IPaC https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-andgolden-eagles-may-occur-project-action

There are likely bald eagles present in your project area. For additional information on bald eagles, refer to Bald Eagle Nesting and Sensitivity to Human Activity

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON         |
|---|-------------------------|
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, but<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities. | Breeds Oct 15 to Aug 31 |
| https://ecos.fws.gov/ecp/species/1626<br>Probability of Presence Summary  | 101                     |

## **Probability of Presence Summary**

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "Supplemental Information on Migratory Birds and Eagles", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12

(0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.


To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.



# What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the <u>Avian Knowledge Network (AKN</u>). The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply). To see a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

What does IPaC use to generate the probability of presence graphs of bald and golden eagles in my specified location?

#### IPaC: Explore Location resources

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to obtain a permit to avoid violating the <u>Eagle Act</u> should such impacts occur. Please contact your local Fish and Wildlife Service Field Office if you have questions.

# Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the <u>"Supplemental Information on Migratory Birds and Eagles"</u>.

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The <u>Bald and Golden Eagle Protection Act</u> of 1940.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds <u>https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</u>
- Nationwide conservation measures for birds <u>https://www.fws.gov/sites/default/files/</u> <u>documents/nationwide-standard-conservation-measures.pdf</u>
- Supplemental Information for Migratory Birds and Eagles in IPaC <u>https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</u>

#### IPaC: Explore Location resources

The birds listed below are birds of particular concern either because they occur on the USFWS Birds of Conservation Concern (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ below. This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the <u>E-bird data mapping tool</u> (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found <u>below</u>.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

| NAME  | BREEDING SEASON               |
|---|-------------------------------|
| American Oystercatcher Haematopus palliatus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/8935</u>  | Breeds Apr 15 to Aug 31       |
| Bald Eagle Haliaeetus leucocephalus<br>This is not a Bird of Conservation Concern (BCC) in this area, bu<br>warrants attention because of the Eagle Act or for potential<br>susceptibilities in offshore areas from certain types of<br>development or activities.<br>https://ecos.fws.gov/ecp/species/1626 | Breeds Oct 15 to Aug 31<br>ut |
| Black-billed Cuckoo Coccyzus erythropthalmus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9399</u>   | Breeds May 15 to Oct 10       |
| Blue-winged Warbler Vermivora cyanoptera<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA  | Breeds May 1 to Jun 30        |
| <b>Bobolink</b> Dolichonyx oryzivorus<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds May 20 to Jul 31       |

| Canada Warbler Cardellina canadensis<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds May 20 to Aug 10 |
|--|-------------------------|
| <b>Cerulean Warbler</b> Setophaga cerulea<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/2974</u> | Breeds Apr 29 to Jul 20 |
| Chimney Swift Chaetura pelagica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Mar 15 to Aug 25 |
| Grasshopper Sparrow Ammodramus savannarum  | Breeds Jun 1 to Aug 20  |
| perpallidus<br>This is a Bird of Conservation Concern (BCC) only in particular<br>Bird Conservation Regions (BCRs) in the continental USA<br><u>https://ecos.fws.gov/ecp/species/8329</u>            | LTAI                    |
| Gull-billed Tern Gelochelidon nilotica<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9501</u>    | Breeds May 1 to Jul 31  |
| Kentucky Warbler Geothlypis formosa<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Apr 20 to Aug 20 |
| Least Tern Sternula antillarum antillarum<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.   | Breeds Apr 25 to Sep 5  |
| Lesser Yellowlegs Tringa flavipes<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.<br><u>https://ecos.fws.gov/ecp/species/9679</u>         | Breeds elsewhere        |
| <b>Pectoral Sandpiper</b> Calidris melanotos<br>This is a Bird of Conservation Concern (BCC) throughout its<br>range in the continental USA and Alaska.  | Breeds elsewhere        |

| 5/24, 0.28 AM  | IF aC. Explore Eucation resol               | uices                   |
|--|---|-------------------------|
| <b>Prairie Warbler</b> Setophaga di<br>This is a Bird of Conservation<br>range in the continental USA a                                  | Concern (BCC) throughout its                | Breeds May 1 to Jul 31  |
| <b>Prothonotary Warbler</b> Protor<br>This is a Bird of Conservation<br>range in the continental USA a                                   | Concern (BCC) throughout its                | Breeds Apr 1 to Jul 31  |
| Red-headed Woodpecker Me<br>This is a Bird of Conservation<br>range in the continental USA a   | Concern (BCC) throughout its                | Breeds May 10 to Sep 10 |
| Rusty Blackbird Euphagus ca<br>This is a Bird of Conservation<br>Bird Conservation Regions (B0   | Concern (BCC) only in particular            | Breeds elsewhere        |
| Saltmarsh Sparrow Ammosp<br>This is a Bird of Conservation<br>range in the continental USA a<br>https://ecos.fws.gov/ecp/spec            | Concern (BCC) throughout its<br>and Alaska. | Breeds May 15 to Sep 5  |
| Scarlet Tanager Piranga oliva<br>This is a Bird of Conservation<br>Bird Conservation Regions (Bo   | Concern (BCC) only in particular            | Breeds May 10 to Aug 10 |
| Semipalmated Sandpiper Ca<br>This is a Bird of Conservation<br>Bird Conservation Regions (B0   | Concern (BCC) only in particular            | Breeds elsewhere        |
| Short-billed Dowitcher Limno<br>This is a Bird of Conservation<br>range in the continental USA a<br><u>https://ecos.fws.gov/ecp/spec</u> | Concern (BCC) throughout its<br>and Alaska. | Breeds elsewhere        |
| Willet Tringa semipalmata<br>This is a Bird of Conservation<br>range in the continental USA a  | -   | Breeds Apr 20 to Aug 5  |
| Wood Thrush Hylocichla mus<br>This is a Bird of Conservation<br>range in the continental USA a   | Concern (BCC) throughout its                | Breeds May 10 to Aug 31 |

## Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read <u>"Supplemental Information on Migratory Birds and Eagles"</u>, specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
- 3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

### No Data (–)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

|   |              |        | ■ pi  | robabilit            | y of pre            | esence    | breed | ding sea | ison  | survey | effort            | – no data |
|---|--------------|--------|-------|----------------------|---------------------|-----------|-------|----------|-------|--------|-------------------|-----------|
| SPECIES   | JAN          | FEB    | MAR   | APR                  | MAY                 | JUN       | JUL   | AUG      | SEP   | OCT    | NOV               | DEC       |
| American<br>Oystercatcher<br>BCC Rangewide<br>(CON) | ++++         | - ++++ | ++++  | · ┼╂╂┿               | ╂╂╂┨                | - +       | ┼┼┼┼  | ┼┼┼┼     | ++-   | ++ +++ | ++++              |           |
| Bald Eagle<br>Non-BCC<br>Vulnerable                 | <b>┿</b> ║║╫ | ·∳┼₿∥  | +∎∎≢  | <u></u> ∎∎∔≢         | ┿╪┼┼                | 1+++      | ++++  | ++++     | Ť     |        | ų <del>1</del> 41 | 1 1111    |
| Black-billed<br>Cuckoo<br>BCC Rangewide<br>(CON)    | ++++         | - ++++ | ++++  | ++++                 |                     |           | S     | ++++     | ++    | + +++  | + +++             | + ++++    |
| Blue-winged<br>Warbler<br>BCC - BCR                 | ++++         | - ++++ | ++++  | +++##                |                     | )++++     | +++1  | 111      | +     | ++ +++ | + ++++            | + ++++    |
| Bobolink<br>BCC Rangewide<br>(CON)                  | ++++         | +++1   | H     | ++++                 | ++ <mark>+</mark> + | ++++      | ++++  | ++++     | - ++- | ┝┼║┼┼  | + #++             | + ++++    |
| Canada Warble<br>BCC Rangewide<br>(CON)             |              | - ++++ | ++++  | ++++                 |                     | ++++      | ++++  | +111     |       | ∎+ +++ | + +++•            | + ++++    |
| Cerulean<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++         | - ++++ | ++++  | · +++ <mark>+</mark> | <mark>‡</mark> ╂╂   | ++++      | ++++  | ++++     | - ++- | ++ +++ | + +++             | + ++++    |
| Chimney Swift<br>BCC Rangewide<br>(CON)             | ++++         | - ++++ | +++++ | ++11                 |                     | 1111      | 111   | 111      | 11    |        | + ++++            | + ++++    |
| Grasshopper<br>Sparrow<br>BCC - BCR                 | ++++         | - ++++ | ++++  | ++++                 | ┼┼┉╷                | - + + + + | ++++  | ++++     | - ++- | ++ +++ | ┼╨┼┼              | + ++++    |
| Gull-billed Tern<br>BCC Rangewide<br>(CON)          | ++++         | - ++++ | ++++  | ++++                 | ┼╪┼┼                | ++++      | ++++  | ++++     | - ++- | ++ +++ | + ++++            | + ++++    |

| Kentucky<br>Warbler<br>BCC Rangewide<br>(CON)       | ++++ | ++++ | ++++ | ┼┼ <mark>┼</mark> ┼ | <b>₩</b> ₩++          | ++++ | ++++       | ++++               | ++++               | ++++ | ++++ | ++++ |
|---|------|------|------|---------------------|-----------------------|------|------------|--------------------|--------------------|------|------|------|
| Least Tern<br>BCC Rangewide<br>(CON)                | ++++ | ++++ | ++++ | +++ <mark>+</mark>  | ++++                  | +++  | ++++       | ++++               | ++++               | ++++ | ++++ | ++++ |
| SPECIES   | JAN  | FEB  | MAR  | APR                 | MAY                   | JUN  | JUL        | AUG                | SEP                | OCT  | NOV  | DEC  |
| Lesser<br>Yellowlegs<br>BCC Rangewide<br>(CON)      | ++++ | ++++ | ++++ | ++++                | <b><u></u><b></b></b> | ++++ | ++++       | +                  | ∎+++               | ++++ | ++++ | ++++ |
| Pectoral<br>Sandpiper<br>BCC Rangewide<br>(CON)     | ++++ | ++++ | ++++ | ++++                | ++++                  | ++++ | +++#       | ++##               | <b>**</b> ++       | ++++ | ++++ | ++++ |
| Prairie Warbler<br>BCC Rangewide<br>(CON)           | ++++ | ++++ | ++++ | ┼┼║║                | ∎∎++                  | ++++ | ++++       | ++++               | ++=++              | ++++ | ++++ | ++++ |
| Prothonotary<br>Warbler<br>BCC Rangewide<br>(CON)   | ++++ | ++++ | ++++ | <u></u> †∎∔≢        | ++++                  | ++++ | +++++<br>5 | ++++               | ++++               | ++++ | ++++ | ++++ |
| Red-headed<br>Woodpecker<br>BCC Rangewide<br>(CON)  | ++++ | ++++ | ++++ | #++#                | <b>1</b>              | ++++ | ++++       | ++++               | ++++               | ++++ | ++++ | ++++ |
| Rusty Blackbird<br>BCC - BCR                        | щ    | ыų   | ŊN   | Ш                   | <b>#</b> +++          | ++++ | ++++       | ++++               | ++++               | ┼┼║ᄈ | ┼╢║║ |      |
| Saltmarsh<br>Sparrow<br>BCC Rangewide<br>(CON)      | ++++ | ++++ | ++++ | ++++                | ┼╂╂┽                  | ┼┼┼┼ | ++++       | ┼┿┼┼               | <mark>∔</mark> +++ | ++++ | ++++ | ++++ |
| Scarlet Tanager<br>BCC - BCR                        | ++++ | ++++ | ++++ | +++∎                | <b>   </b>            | ++++ | ++++       | ++1+               |                    | ∎∎++ | ++++ | ++++ |
| Semipalmated<br>Sandpiper<br>BCC - BCR              | ++++ | ++++ | ++++ | ++++                | ┼╪┼                   | ++++ | ++++       | +                  | ∎+++               | ++++ | ++++ | ++++ |
| Short-billed<br>Dowitcher<br>BCC Rangewide<br>(CON) | ++++ | ++++ | ++++ | <b>┼┼┼</b> ┯        | <b>•</b> +++          | ++++ | ++++       | +#++               | <b>•</b> +++       | ++++ | ++++ | ++++ |
| Willet<br>BCC Rangewide<br>(CON)                    | ++++ | ++++ | ++++ | ┼┼╂╋                | ┿╂╂╂                  | ┼┿┼┼ | ++++       | <mark>┼</mark> ┼┼┼ | ++++               | ++++ | ++++ | ++++ |

## Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

<u>Nationwide Conservation Measures</u> describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. <u>Additional measures</u> or <u>permits</u> may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

## What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge</u> <u>Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science</u> <u>datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>Rapid Avian Information Locator (RAIL) Tool</u>.

## What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey</u>, <u>banding</u>, <u>and</u> <u>citizen science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

### How do I know if a bird is breeding, wintering or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may query your location using the <u>RAIL Tool</u> and look at the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird

on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

### What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Eagle Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

### Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the <u>Northeast Ocean Data</u> <u>Portal</u>. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the <u>NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird</u> <u>Distributions and Abundance on the Atlantic Outer Continental Shelf</u> project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the <u>Diving Bird Study</u> and the <u>nanotag studies</u> or contact <u>Caleb Spiegel</u> or <u>Pam Loring</u>.

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to <u>obtain a permit</u> to avoid violating the Eagle Act should such impacts occur.

### Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key

#### IPaC: Explore Location resources

component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

# Facilities

## National Wildlife Refuge lands

Any activity proposed on lands managed by the <u>National Wildlife Refuge</u> system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

### There are no refuge lands at this location.

## Fish hatcheries

There are no fish hatcheries at this location.

# Wetlands in the National Wetlands Inventory (NWI)

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of</u> <u>Engineers District</u>.

This location did not intersect any wetlands mapped by NWI.

**NOTE:** This initial screening does **not** replace an on-site delineation to determine whether wetlands occur. Additional information on the NWI data is provided below.

#### **Data limitations**

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

#### Data exclusions


Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

### Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

Montpe

110



| B.i.i [Coastal or Waterfront Area]  | No   |
|---|--|
| B.i.ii [Local Waterfront Revitalization Area]   | No   |
| C.2.b. [Special Planning District]  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook. |
| E.1.h [DEC Spills or Remediation Site -<br>Potential Contamination History]           | Digital mapping data are not available or are incomplete. Refer to EAF Workbook. |
| E.1.h.i [DEC Spills or Remediation Site -<br>Listed]                                  | Digital mapping data are not available or are incomplete. Refer to EAF Workbook. |
| E.1.h.i [DEC Spills or Remediation Site -<br>Environmental Site Remediation Database] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook. |
| E.1.h.iii [Within 2,000' of DEC Remediation Site]                                     | Yes  |
| E.1.h.iii [Within 2,000' of DEC Remediation Site - DEC ID]                            | 130112   |
| E.2.g [Unique Geologic Features]  | No   |
| E.2.h.i [Surface Water Features]  | No   |
| E.2.h.ii [Surface Water Features]   | No   |
| E.2.h.iii [Surface Water Features]  | No   |
| E.2.h.v [Impaired Water Bodies]   | No   |
| E.2.i. [Floodway]   | No   |
| E.2.j. [100 Year Floodplain]  | No   |
| E.2.k. [500 Year Floodplain]  | No   |
| E.2.I. [Aquifers]   | Yes  |
| E.2.I. [Aquifer Names]  | Sole Source Aquifer Names:Nassau-Suffolk SSA                                     |
| E.2.n. [Natural Communities]  | Yes  |

| E.2.n.i [Natural Communities - Name]   | Hempstead Plains Grassland   |
|--|--|
| E.2.n.i [Natural Communities - Acres]  | 24.14  |
| E.2.o. [Endangered or Threatened Species]                                      | Yes  |
| E.2.o. [Endangered or Threatened Species -<br>Name]                            | Sandplain Agalinis, White Colicroot, Midland Sedge, Narrow-leaved Bush<br>Clover, Few-flowered Nut Sedge, Hyssop Hedge Nettle, Nuttall's Milkwort,<br>Narrow-leaved White-topped Aster, Hairy Small-leaved Tick Trefoil, Bushy<br>Rock Rose, Upland Sandpiper, Frosted Elfin |
| E.2.p. [Rare Plants or Animals]  | No   |
| E.3.a. [Agricultural District]   | No   |
| E.3.c. [National Natural Landmark]   | No   |
| E.3.d [Critical Environmental Area]  | No   |
| E.3.e. [National or State Register of Historic Places or State Eligible Sites] | Digital mapping data are not available or are incomplete. Refer to EAF Workbook.   |
| E.3.f. [Archeological Sites]   | No   |
| E.3.i. [Designated River Corridor]   | No   |

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

### Division of Fish and Wildlife, New York Heritage Program

625 Broadway, Fifth Floor, Albany, NY 12233-4757 Phone: (518) 402-8935 | Fax: (518) 402-8925 www.dec.ny.gov

### 08/23/2024

The attached report from the Environmental Resource Mapper includes information from the New York Natural Heritage Program database with respect to the location indicated on the map below. <u>This letter,</u> <u>together with the attached report from the Environmental Resource Mapper, is equivalent to, and carries the</u> <u>same validity, as a letter from the New York Natural Heritage Program</u>, including for projects where a Natural Heritage letter is required.

If your location of interest does <u>not</u> fall within an area covered by the Rare Plants and Rare Animals layer or in the Significant Natural Communities layer, then New York Natural Heritage has no records to report in the vicinity of your project site. Submitting a project screening request to NY Natural Heritage is <u>not</u> necessary.

If the attached report lists that your location of interest is in the vicinity of <u>state-listed animals</u>, including state-listed bats, please consult the <u>EAF Mapper</u> to obtain a list of the species involved. (You do not have to be filling out an Environmental Assessment Form in order to use the EAF Mapper). Then consult the appropriate <u>NYSDEC Regional Office</u> for information on any project requirements or permit conditions.

If the attached report lists unlisted animals, rare plants, or significant natural communities, and if you would like more information on these, please submit a project screening request to <u>New York Natural Heritage</u>. For more information, please see the DEC webpage <u>Request Natural Heritage Information for Project</u> <u>Screening</u>.

The absence of data does not necessarily mean that rare or state-listed species, significant natural communities, or other significant habitats do not exist on or adjacent to the proposed site. Rather, NYNHP files currently do not contain information that indicates their presence. For most sites, comprehensive field surveys have not been conducted. NYNHP cannot provide a definitive statement on the presence or absence of all rare or state-listed species or significant natural communities. Depending on the nature of the project and the conditions at the project site, further information from on-site surveys or other resources may be required to fully assess impacts on biological resources from a proposed project.

This response applies only to known occurrences of rare or state-listed animals and plants, significant natural communities, and other significant habitats maintained in the NYNHP database.

### New York Natural Heritage Program

https://www.nynhp.org/.

## **Environmental Resource Mapper**



#### The coordinates of the point you clicked on are:

| UTM 18             | Easting:   | 619204.3272208035 | Northing: | 4509369.657662138 |
|--------------------|------------|-------------------|-----------|-------------------|
| Longitude/Latitude | Longitude: | -73.5884528303866 | Latitude: | 40.72664182500318 |

**The approximate address of the point you clicked on is:** 195 Charles Lindbergh Blvd, Garden City, New York, 11530

County: Nassau Town: Hempstead USGS Quad: FREEPORT

Natural Communities in the Vicinity

Natural Community Name: Hempstead Plains grassland Location: Hempstead Plains Grassland Significance: Rare Community Type

#### **Rare Plants and Rare Animals**

This location is in the vicinity of Plants Listed as Endangered, Threatened, or Rare by NYS

This location is in the vicinity of A Hand-maid Moth – Moth Not Listed by NYS

This location is in the vicinity of Animals Listed as Endangered or Threatened - Contact NYSDEC Regional Office

#### 8/23/24, 10:52 PM

#### **Environmental Resource Mapper**

If your project or action is within or near an area with a rare animal, a permit may be required if the species is listed as endangered or threatened and the department determines the action may be harmful to the species or its habitat.

If your project or action is within or near an area with rare plants and/or significant natural communities, the environmental impacts may need to be addressed.

The presence of a unique geological feature or landform near a project, unto itself, does not trigger a requirement for a NYS DEC permit. Readers are advised, however, that there is the chance that a unique feature may also show in another data layer (ie. a wetland) and thus be subject to permit jurisdiction.

Please refer to the "Need a Permit?" tab for permit information or other authorizations regarding these natural resources.

**Disclaimer:** If you are considering a project or action in, or near, a wetland or a stream, a NYS DEC permit may be required. The Environmental Resources Mapper does not show all natural resources which are regulated by NYS DEC, and for which permits from NYS DEC are required. For example, Regulated Tidal Wetlands, and Wild, Scenic, and Recreational Rivers, are currently not included on the maps.

Print Preview